

Ethylenediaminetetraacetic acid

03610-1KG

Version 2.2 Issuing date 12/09/2016 Revision Date 12/12/2022 Print Date 05/29/2023

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information

Trade name : Ethylenediaminetetraacetic acid

Number : 00000020539

Recommended use of the chemical and restrictions on

use

Laboratory chemicals

Manufacturer or supplier's

details

Honeywell Specialty Chemicals Seelze

GmbH

Wunstorfer Straße 40 Seelze, 30926 Germany

For further information, : 1-8 please contact: +1-8

1-800-368-0050 +1-231-726-3171

(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or +1-703-

527-3887

In Japan: +(81)-345209637

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification of the : Eye irritation, Category 2A

substance or mixture

GHS Label elements, including precautionary statements

Symbol(s) :

Signal word : Warning

Hazard statements : Causes serious eye irritation.

Precautionary statements : **Prevention:**



Ethylenediaminetetraacetic acid

03610-1KG

Version 2.2 Issuing date 12/09/2016 Revision Date 12/12/2022 Print Date 05/29/2023

Wash skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face

protection.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If eye irritation persists: Get medical advice/ attention.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C10H16N2O8

Chemical nature : Substance

Chemical name CAS-No. Concentration

Ethylenediamine tetraacetic acid 60-00-4 100.00 %

Ethylenediamine tetraacetic acid

4. FIRST AID MEASURES

General advice : First aider needs to protect himself.

Move out of dangerous area.

Take off all contaminated clothing immediately.

Inhalation : If inhaled, remove to fresh air.

Call a physician if irritation develops or persists.

Skin contact : After contact with skin, wash immediately with plenty of water.

Call a physician if irritation develops or persists.

Eye contact : Rinse thoroughly with plenty of water, also under the eyelids.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

Ingestion : When swallowed, allow water to be drunk.

Call a physician immediately.

Notes to physician : Treat symptomatically.



Ethylenediaminetetraacetic acid

03610-1KG

Version 2.2 Issuing date 12/09/2016 Revision Date 12/12/2022 Print Date 05/29/2023

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Foam

Carbon dioxide (CO2)

Dry powder

Specific hazards during

firefighting

: In case of fire hazardous decomposition products may be

produced such as:

Ammonia

Nitrogen oxides (NOx) carbon oxides (CO, CO2).

Special protective equipment

for firefighters
Further information

: Wear self-contained breathing apparatus and protective suit.

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.

Wear personal protective equipment. Unprotected persons

must be kept away.

Ensure adequate ventilation.

Avoid dust formation.

Avoid contact with skin, eyes and clothing.

Environmental precautions : Do not contaminate water.

Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up

: Use mechanical handling equipment.

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Dispose of in accordance with local regulations.

7. HANDLING AND STORAGE

Handling

Precautions for safe handling : Exhaust ventilation at the object is necessary.

Wear personal protective equipment.

Avoid dust formation.



Ethylenediaminetetraacetic acid

03610-1KG

Version 2.2 Issuing date 12/09/2016 Revision Date 12/12/2022 Print Date 05/29/2023

Avoid breathing dust.

Avoid contact with skin and eyes.

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Storage

Conditions for safe storage,

including any incompatibilities

Store in original container.

Keep tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Appropriate engineering controls

Use with local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection : Latex gloves

Gloves must be inspected prior to use.

Replace when worn.

Eye protection : Safety goggles

Skin and body protection : Protective suit

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Protective measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment.

Avoid breathing dust.

Avoid contact with skin, eyes and clothing.



Ethylenediaminetetraacetic acid

03610-1KG

Version 2.2 Issuing date 12/09/2016 Revision Date 12/12/2022 Print Date 05/29/2023

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Colour : colourless

Odour : odourless

Odour Threshold : Note: No data available

pH : Note: No data available

Melting point (decomposition) : 240 °C

Boiling point/boiling range : Note: No data available

Flash point : Note: Not applicable

Flammability : This product is not easily inflammable.

Lower explosion limit : Note: Not applicable

Upper explosion limit : Note: Not applicable

Vapour pressure : Note: No data available

Vapour density : Note: No data available

Density : 0.86 g/cm3 at 20 °C

Water solubility : 0.4 g/l at 20 °C

Note: slightly soluble

Partition coefficient: n-

octanol/water

: log Pow: -3.34

Ignition temperature : Note: No data available



Ethylenediaminetetraacetic acid

03610-1KG

Version 2.2 Print Date 05/29/2023 Issuing date 12/09/2016 Revision Date 12/12/2022

Decomposition temperature : Note: No decomposition if used as directed.

Viscosity, dynamic : Note: No data available

: Note: No data available Viscosity, kinematic

Molecular weight : 292.24 g/mol

Bulk density : ca. 680 kg/m3

10. STABILITY AND REACTIVITY

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Hazardous polymerisation does not occur.

Conditions to avoid : None known.

Incompatible materials to

avoid

: Strong oxidizing agents

Strong bases

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be

produced such as:

Ammonia

Nitrogen oxides (NOx) carbon oxides (CO, CO2).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact, Ingestion

exposure

: LD50: 4,500 mg/kg Acute oral toxicity

Species: Rat

Method: OECD Test Guideline 401

Acute inhalation toxicity : Note: No data available

Acute dermal toxicity : Note: No data available

Skin corrosion/irritation : Species: Rabbit



Ethylenediaminetetraacetic acid

03610-1KG

Version 2.2 Revision Date 12/12/2022 Issuing date 12/09/2016 Print Date 05/29/2023

Result: No skin irritation

Method: OECD Test Guideline 404

Serious eye damage/eye

irritation

: Species: Rabbit

Result: Irritating to eyes.

Method: OECD Test Guideline 405

: Note: No data available Respiratory sensitisation

Skin sensitisation : Note: No data available

: Note: No data available Germ cell mutagenicity

Carcinogenicity : Note: No data available

: Species: RatApplication Route: Oral Reproductive toxicity

Exposure time: 7 d

Teratogenicity NOAEL: >= 967 mg/kg bw/d

Developmental Toxicity NOAEL: >= 967 mg/kg bw/d Embryo-fetal toxicity NOAEL: >= 967 mg/kg bw/d

Note: highest exposure tested

Specific target organ toxicity

- single exposure

: Note :No data available

Specific target organ toxicity : Note : No data available

- repeated exposure

Aspiration toxicity : No data available

12. ECOLOGICAL INFORMATION

Aquatic and ecotoxicity

Toxicity to fish : static test

LC50: 41 mg/l Exposure time: 96 h

Species: Lepomis macrochirus (Bluegill sunfish)

: static test



Ethylenediaminetetraacetic acid

03610-1KG

Version 2.2 Issuing date 12/09/2016 Revision Date 12/12/2022 Print Date 05/29/2023

LC50: 59.8 mg/l Exposure time: 96 h

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other : EC50: 1,033 mg/l

aquatic invertebrates

EC50: 1,033 mg/l Exposure time: 24 h

Species: Daphnia magna (Water flea)

Method: DIN 38412

Toxicity to algae : Growth inhibition

1.01 mg/l

Exposure time: 72 h

Species: scenedesmus subspicatus

Toxicity to bacteria : Note: No data available

Persistence and degradability

Biodegradability : aerobic

Value: < 20 %

Method: OECD 302 B

Bioaccumulative potential

Bioaccumulation : Note: No data available

Mobility in soil

Mobility : Note: No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods : In accordance with local and national regulations.



Ethylenediaminetetraacetic acid

03610-1KG

Version 2.2 Issuing date 12/09/2016 Revision Date 12/12/2022 Print Date 05/29/2023

14. TRANSPORT INFORMATION

ADR

Not dangerous goods

IATA

Not dangerous goods

IMDG

Not dangerous goods

RID

Not dangerous goods

15. REGULATORY INFORMATION

National regulatory information

Chemical Substance : Listed

Control Law Type II Monitoring Chemical Substance.

DES (JP) Reference: (2)-1263

Chemical Substance Control : 388

Law Listed

Ethylenediamine tetraacetic acid 60-00-4

Fire Service Law : Not relevant

Japan. ISHL Hazardous : Listed

Substances Subject to Ethylenediamine tetraacetic acid 60-00-4

Labeling Requirements (ISHL Enforcement Order, Article 18, Art. 30 & 31), as

amended

Japan. SDS and Risk : Listed

Assessment Requirements Ethylenediamine tetraacetic acid 60-00-4

(ISHL Art. 57-2 and 57-3, Enforcement Order Art. 18-2, Enforcement Rule Art. 34-2 and 34-2-2), as amended

Poisonous and Deleterious : Not relevant

Substances Control Law



Ethylenediaminetetraacetic acid

03610-1KG

Print Date 05/29/2023 Version 2.2 Issuing date 12/09/2016 Revision Date 12/12/2022

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the **Environment and Promotion** of Improvements to the Management Thereof

: Class 1 595 Listed

Other international regulations

Notification status

US. Toxic Substances

Control Act

: On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC),

as amended

: On the inventory, or in compliance with the inventory

Canada. Canadian

Environmental Protection Act

(CEPA). Domestic Substances List (DSL) : All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals

Inventory (KECI)

: On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS)

: On the inventory, or in compliance with the inventory

China. Inventory of Existing

Chemical Substances

(IECSC)

: On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New

Zealand

: On the inventory, or in compliance with the inventory

Taiwan Chemical Substance

Inventory (TCSI)

: On the inventory, or in compliance with the inventory



Ethylenediaminetetraacetic acid

036	10	1_1	K	C
uso	ΗU	,- 1	\mathbf{r}	G

Version 2.2 Issuing date 12/09/2016 Revision Date 12/12/2022 Print Date 05/29/2023

16. OTHER INFORMATION

Health hazard : 2 2 2
Flammability : 1 1 1
Physical Hazard : 0
Instability : 0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 10/02/2017 Revision Date: 12/12/2022

Version 2.2

Issuing date 12/09/2016

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group