Honeywell Fluka[™]

Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier					
Product name	:	Sodium sulfate			
SDS-number	:	00000016119			
Type of product	:	Substance			
Remarks	:	Document according to Art. 32	of Regulation (EC) 1907/2006.		
Chemical name	:	Sodium sulphate			
CAS-No.	:	7757-82-6	7757-82-6		
REACH Registration Number	:	no data available			
1.2. Relevant identified us	es (of the substance or mixture and	d uses advised against		
Use of the Substance/Mixture	:	Laboratory chemicals			
Uses advised against	:	none			
1.3. Details of the supplier	of	the safety data sheet			
Company	:	Honeywell Specialty Chemicals Seelze GmbH Wunstorfer Straße 40 30926 Seelze Germany	Honeywell International, Inc. 115 Tabor Road Morris Plains, NJ 07950-2546 USA		
Telephone For further information,	:	(49) 5137-999 0 PMTEU Product Stewardship:			
please contact:					
1.4. Emergency telephone number					
Emergency telephone number	: +1-703-527-3887 (ChemTrec-Transport) +1-303-389-1414 (Medical)				
		Page 1 / 16			

Honeywell Fluka

Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

Country based Poison : see chapter 15.1 Control Center

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2. Label elements

REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known. Results of PBT and vPvB assessment, see chapter 12.5.

SECTION 3: Composition/information on ingredients

3.1. Substance

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Sodium sulphate	7757-82-6 231-820-9		100 %	N.C.*

N.C.* - Non-hazardous substance - for information only

3.2. Mixture

Not applicable



2

Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately.

Inhalation:

If breathed in, move person into fresh air. If symptoms persist, call a physician.

Skin contact:

After contact with skin, wash immediately with plenty of water. If symptoms persist, call a physician.

Eye contact:

Rinse thoroughly with plenty of water, also under the eyelids. Protect unharmed eye. If eye irritation persists, consult a specialist.

Ingestion:

Immediately give large quantities of water to drink. If accidentally swallowed obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

See Section 11 for more detailed information on health effects and symptoms.

Honeywell Fluka^{**}

Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water spray jet Foam Carbon dioxide (CO2) Dry powder

Extinguishing media which shall not be used for safety reasons: High volume water jet

5.2. Special hazards arising from the substance or mixture

Standard procedure for chemical fires. In case of fire hazardous decomposition products may be produced such as: Sulphur oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary. Do not use a solid water stream as it may scatter and spread fire.Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Avoid dust formation. Do not swallow. Avoid breathing dust. Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and materials for containment and cleaning up

Use mechanical handling equipment. Pick for disposal in tightly closed containers

Page 4 / 16

Honeywell Fluka

Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling: Wear personal protective equipment. Do not breathe dust. Avoid contact with skin, eyes and clothing.

Advice on protection against fire and explosion: Normal measures for preventive fire protection.

Hygiene measures: General industrial hygiene practice.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Store in original container. Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

no additional data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

DNEL/ PNEC-Values

Component	End- use/impact	Exposure duration	Value	Exposure routes	Remarks
Sodium sulphate	Workers / Long-term systemic		20 mg/m3	Inhalation	

Page 5 / 16

Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

Honeywell

Fluka"

	effects			
Sodium sulphate	Workers / Long-term local effects	20 mg/m3	Inhalation	
Sodium sulphate	Consumers / Long-term systemic effects	12 mg/m3	Inhalation	
Sodium sulphate	Consumers / Long-term local effects	12 mg/m3	Inhalation	

Component	Environmental compartment / Value	Remarks
Sodium sulphate	Fresh water: 11,09 mg/l	Assessment factor: 100
Sodium sulphate	Marine water: 1,109 mg/l	Assessment factor: 1000
Sodium sulphate	Sewage treatment plant: 800 mg/l	Assessment factor: 10
Sodium sulphate	Fresh water sediment: 40,2 mg/kg dw	
Sodium sulphate	Marine sediment: 4,02 mg/kg dw	
Sodium sulphate	Soil: 1,54 mg/kg dw	

8.2. Exposure controls

Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345. Do not breathe dust.

Personal protective equipment

Respiratory protection:

Page 6 / 16

Honeywell Fluka

Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection: Glove material: Natural Latex Break through time: > 480 min Glove thickness: 0,6 mm Lapren®706 Gloves must be inspected prior to use. Replace when worn. Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy. Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374. Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer reccomends to use the chemical protective glove in practice not longer than 50% of the recomended permeation time. Manufacturer's directions for use should be observed because of great diversity of types . Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de Eye protection: Safety glasses with side-shields Skin and body protection: Protective suit **Environmental exposure controls** Handle in accordance with local environmental regulations and good industrial practices. **SECTION 9: Physical and chemical properties** 9.1. Information on basic physical and chemical properties Physical state : solid

Colour	:	colourless
Odour	:	odourless
molecular weight	:	142,04 g/mol

Page 7 / 16

Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

Honeywell Fluka[™]

Melting point/range	:	ca. 884 °C
Boiling point/boiling range	:	No data available
Flammability	:	The product is not flammable.
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No decomposition if used as directed.
Viscosity, kinematic	:	No data available
Water solubility	:	185 g/l at 20 °C
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	ca. 2,68 g/cm3 at 20 °C
Bulk density	:	ca. 1.700 kg/m3
Relative vapour density	:	No data available
9.2 Other Information		
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available

Page 8 / 16

Honeywell Fluka

Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

Viscosity, dynamic : No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended storage conditions.

10.2. Chemical stability

No decomposition if used as directed.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity: LD50 Species: Rat Value: > 10.000 mg/kg

Acute dermal toxicity: No data available

Acute inhalation toxicity: Not classified due to data which are conclusive although insufficient for classification.

Page 9 / 16

Honeywell Fluka

Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

Skin irritation: Species: Rabbit Result: No skin irritation Method: OECD Test Guideline 404

Eye irritation: Species: Rabbit Result: slight irritation Method: OECD Test Guideline 405

Respiratory or skin sensitisation: Species: Guinea pig Result: Not a skin sensitizer. Method: OECD Test Guideline 406

Repeated dose toxicity: Note: No data available

Carcinogenicity: Species: not specified Note: Not classified due to data which are conclusive although insufficient for classification. *Germ cell mutagenicity:* Note: Not classified due to data which are conclusive although insufficient for classification.

Reproductive toxicity: Species: not specified Remarks: Not classified due to data which are conclusive although insufficient for classification.

Aspiration hazard: No data available

11.2. Information on other hazards

Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other information: No data available

Page 10 / 16

Honeywell Fluka

Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish: LC50 Species: Pimephales promelas (fathead minnow) Value: 7.960 mg/l Exposure time: 96 h

LC50 Species: Lepomis macrochirus (Bluegill sunfish) Value: 13.500 mg/l Exposure time: 96 h

Toxicity to aquatic plants: Not classified due to data which are conclusive although insufficient for classification.

Toxicity to Microorganisms: No data available

Toxicity to aquatic invertebrates: EC50 Species: Daphnia magna (Water flea) Value: 2.564 mg/l Exposure time: 48 h

Chronic toxicity to aquatic invertebrates: NOEC Species: Ceriodaphnia dubia (water flea) Value: 1.109 mg/l

12.2. Persistence and degradability

Biodegradability: The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

Page 11 / 16

Honeywell Fluka

Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

Should not be released into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product: Dispose according to legal requirements.

Packaging: Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information: Provisions relating to waste: EC Directive 2006/12/EC; 2008/98/EEC Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

14.1 UN number ADR/RID:Not dangerous goods IMDG:Not dangerous goods

IATA:Not dangerous goods

14.2 UN proper shipping name ADR/RID:Not dangerous goods IMDG:Not dangerous goods

Page 12 / 16

Honeywell Fluka

Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

IATA:Not dangerous goods

14.3 Transport hazard class(es)

14.4 Packaging group

14.5 Environmental hazards ADR/RID:no

Marine pollutant: no

14.6 Special precautions for user No data available

14.7 Maritime transport in bulk according to IMO instruments No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Directive 2012/18/EC		Not applicable
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of \geq 0.1 % (w/w).

Poison Control Center

Country	Phone Number	Country	Phone Number
Austria	+4314064343	Liechtenstein	+41 442515151
Belgium	070 245245	Lithuania	+370532362052
Bulgaria	(+)35929154233	Luxembourg	070245245; (+352)80002-5500
Croatia	(+3851)23-48-342	Malta	+356 2395 2000

Page 13 / 16

Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

Cyprus	+357 2240 5611	
Czech Republic	+420224919293; +420224915402	
Denmark	82121212	
Estonia	16662; (+372)6269390	
Finland	9471977	
France	+33(0)145425959	
Greece	+30 210 779 3777	
Hungary	(+36-80)201-199	
Iceland	5432222	
Ireland	+353(1)8092166	
Italy	0382 24444	
	Berlin : 030/19240	
	Bonn : 0228/19240	
	Erfurt : 0361/730730	
Germany	Freiburg : 0761/19240	
Connary	Göttingen : 0551/19240	
	Homburg : 06841/19240	
	Mainz : 06131/19240	
	Munich : 089/19240	
Latvia	+37167042473	

Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	800250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftinformation);+46104566786
Switzerland	145
United Kingdom	(+44) 844 892 0111

Honeywell

Fluka"

Other inventory information

US. Toxic Substances Control Act On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List On the inventory, or in compliance with the inventory Page 14 / 16

Honeywell Fluka

Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

Korea. Existing Chemicals Inventory (KECI) On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Further information

All directives and regulations refer to amended versions. Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community CAS Chemical Abstracts Service DNEL Derived no effect level PNEC Predicted no effect level vPvB Very persistent and very biaccumulative substance PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

Page 15 / 16



Sodium sulfate

238597-500G

Version 1.4

Revision Date 17.12.2022

materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Page 16 / 16