

30709-1L

itric acid 20000021241 aboratory chemicals oneywell International Inc. 253 South Harvey Street luskegon, MI 49442 *800-368-0050 1-231-726-3171(Monday-Friday, 9:00am-5:00pm) ledical: 1-800-498-5701 or +1-303-389-1414 ransportation (CHEMTREC): 1-800-424-9300 or 1-703-527-3887 24 hours/day, 7 days/week) ON
200000021241 aboratory chemicals oneywell International Inc. 253 South Harvey Street luskegon, MI 49442 800-368-0050 1-231-726-3171(Monday-Friday, 9:00am-5:00pm) ledical: 1-800-498-5701 or +1-303-389-1414 ransportation (CHEMTREC): 1-800-424-9300 or 1-703-527-3887 24 hours/day, 7 days/week)
aboratory chemicals oneywell International Inc. 953 South Harvey Street luskegon, MI 49442 •800-368-0050 1-231-726-3171(Monday-Friday, 9:00am-5:00pm) dedical: 1-800-498-5701 or +1-303-389-1414 ransportation (CHEMTREC): 1-800-424-9300 or 1-703-527-3887
oneywell International Inc. 953 South Harvey Street luskegon, MI 49442 •800-368-0050 1-231-726-3171(Monday-Friday, 9:00am-5:00pm) ledical: 1-800-498-5701 or +1-303-389-1414 ransportation (CHEMTREC): 1-800-424-9300 or 1-703-527-3887 24 hours/day, 7 days/week)
953 South Harvey Street luskegon, MI 49442 •800-368-0050 1-231-726-3171(Monday-Friday, 9:00am-5:00pm) edical: 1-800-498-5701 or +1-303-389-1414 ransportation (CHEMTREC): 1-800-424-9300 or 1-703-527-3887 24 hours/day, 7 days/week)
edical: 1-800-498-5701 or +1-303-389-1414 ransportation (CHEMTREC): 1-800-424-9300 or 1-703-527-3887 24 hours/day, 7 days/week)
ON
iquid
veak
r mixture
Oxidizing liquids, Category 3 Corrosive to metals, Category 1 Skin corrosion, Category 1A Serious eye damage, Category 1 Acute toxicity, Category 3
Page 1 / 15

Nitric acid

30709-1L		
Version 2.1	Revision Date 05/19/2020	Print Date 05/29/2023
GHS Label elements, inclue	ling precautionary statements	
Symbol(s)		>
Signal word	: Danger	
Hazard statements	 May intensify fire; oxidizer. May be corrosive to metals. Causes severe skin burns and eye Toxic if inhaled. 	damage.
Precautionary statements	: Prevention: Keep away from heat. Keep/ Store away from clothing/ co Take any precaution to avoid mixin Keep only in original container. Wash skin thoroughly after handling Wear protective gloves/protective of protection.	g with combustibles. g.
	Response: IF SWALLOWED: Rinse mouth. Do IF ON SKIN (or hair): Remove/ Tak contaminated clothing. Rinse skin v IF INHALED: Remove victim to fres position comfortable for breathing. IF IN EYES: Rinse cautiously with v Remove contact lenses, if present a rinsing. Immediately call a POISON CENTE Wash contaminated clothing before In case of fire: Use dry sand, dry ch foam for extinction. Absorb spillage to prevent material	e off immediately all with water/ shower. sh air and keep at rest in a water for several minutes. and easy to do. Continue ER/ doctor. e reuse. memical or alcohol-resistant
	Storage: Store locked up. Store in corrosive resistant containe	er with a resistant inner liner.
	Disposal: Dispose of contents/ container to an plant.	n approved waste disposal
	Page 2 / 15	

Honeywell Fluka[™]

Honeywell Fluka[™]

709-1L sion 2.1	Revision Date	05/19/2020	Print Date 05/29/2
Hazards not otherwise classified	: Corrosive to the	e respiratory tract.	
Carcinogenicity			
	oduct present at levels grea by NTP, IARC, or OSHA.	ter than or equal to 0.	1% is identified as a knov
TION 3. COMPOSITIO	N/INFORMATION ON ING	REDIENTS	
Formula	: HNO3		
Chemical nature	: Mixture		
Chen	nical name	CAS-No.	Concentration
Nitric acid		7697-37-2	>=50.00 - <70.00 %
Water		7732-18-5	>=30.00 - <50.00 %
TION 4. FIRST AID ME	ASURES		
General advice		to protect himself. Mo y take off contaminate of water.	
Inhalation		ed, provided a qualifie	icult, give oxygen. Use ed operator is present.
Skin contact	minutes. Take off	ately with plenty of wa contaminated clothin ted clothing before re-	g and shoes immediately.
Eye contact		d eye. Irrigate eyes fo s of water, keeping ey	r at least 15 minutes with velids apart and away
	Page 3 /	′ 15	



rsion 2.1 Ingestion Notes to physician					
	: Gently wipe or rinse the inside of the mo				
		outh with water Do NOT			
Notes to physician	: Gently wipe or rinse the inside of the mouth with water. Do NOT induce vomiting. Call a physician immediately.				
Most important symptoms/effects, acute and delayed	: No information available.				
Indication of immediate medical attention and special treatment needed, if necessary	: Health injuries may be delayed. Medica minimum 48 hours.	I supervision for			
CTION 5. FIREFIGHTING MEA	SURES				
Suitable extinguishing media	: Water spray Foam Carbon dioxide (CO2) Dry powder				
Unsuitable extinguishing media	: Dry sodium carbonate High volume water jet				
Specific hazards during firefighting	: May intensify fire; oxidizer. Contact with metals liberates hydrogen Cool closed containers exposed to fire In case of fire hazardous decompositio produced such as: nitrogen oxides (NOx)	with water spray.			
Special protective equipment for firefighters	: Wear self-contained breathing apparat No unprotected exposed skin areas.	us and protective suit.			
Further information	: Use extinguishing measures that are a circumstances and the surrounding en The product itself does not burn. Collect contaminated fire extinguishing must not be discharged into drains.	vironment.			
	Page 4 / 15				

Nitric acid

30709-1L

Version 2.1

Revision Date 05/19/2020

Print Date 05/29/2023

Honeywell Fluka[™]

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Immediately evacuate personnel to safe areas. Wear personal protective equipment. Unprotected persons must be kept away. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Ensure adequate ventilation. Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on clothing.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Do not flush into surface water or sanitary sewer system. Prevent product from entering drains. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Methods and materials for containment and cleaning up	:	Ventilate the area. With acids neutralization takes place under development of heat. Neutralise with the following product(s): lime Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Dispose of in accordance with local regulations.
SECTION 7. HANDLING AND S	TOF	AGE
Handling		
Precautions for safe handling	:	Wear personal protective equipment. Use only in well-ventilated areas.

-	When diluting, add acids to water, never the other way around.
	On dilution or dissolving in water, considerable heating always
	occurs.
	Do not breathe vapours or spray mist.
	Do not get in eyes, on skin, or on clothing.

Advice on protection against	:	Keep away from combustible material.
fire and explosion		The product itself does not burn.

Page 5 / 15

Nitric acid

30709-1L		
Version 2.1		Revision Date 05/19/2020 Print Date 05/29/2023
Storage Conditions for safe storage, including any incompatibilities	:	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible substances. Do not store near combustible materials. Store in a place accessible by authorized persons only.
SECTION 8. EXPOSURE CONTI	ROL	S/PERSONAL PROTECTION
Protective measures	:	Ensure that eyewash stations and safety showers are close to the workstation location. Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment. Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on clothing.
Engineering measures	:	Use with local exhaust ventilation.
Eye protection	:	Face-shield Safety goggles
Hand protection	:	Impervious gloves Gloves must be inspected prior to use. Replace when worn.
Skin and body protection	:	Wear suitable protective equipment. Wear as appropriate: Complete suit protecting against chemicals
Respiratory protection	:	In case of insufficient ventilation, wear suitable respiratory equipment.
Hygiene measures	:	Separate rooms are required for washing, showering and changing clothes. Contaminated work clothing should not be allowed out of the workplace. Take off all contaminated clothing immediately. Remove and wash contaminated clothing before re-use. When using do not eat or drink. Wash hands before breaks and at the end of workday.
		Page 6 / 15

Honeywell Fluka[™]



Nitric acid

30709-1L Version 2.1

Revision Date 05/19/2020	Print Date 05/29/2023

Exposure Guidelines

	CAS-No.	Value	Control parameters	Upda te	Basis
Nitric acid	7697-37-2	STEL : Short term exposure limit	(4 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values, as amended
Nitric acid	7697-37-2	TWA : Time weighted average	(2 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values, as amended
Nitric acid	7697-37-2	REL : Recomm ended exposure limit (REL):	5 mg/m3 (2 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Nitric acid	7697-37-2	STEL : Short term exposure limit	10 mg/m3 (4 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Nitric acid	7697-37-2	PEL : Permissi ble exposure limit	5 mg/m3 (2 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Nitric acid	7697-37-2	STEL : Short term exposure limit	10 mg/m3 (4 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended



Nitric acid

30709-1L

sion 2.1	R	evision Date	05/19/2020		Print Date 05/29/
Nitric acid 76	97-37-2	7-37-2 TWA : 5 mg/m3 Time (2 ppm) weighted average		1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), a amended
<u>_</u>					
CTION 9. PHYSICAL AND (ES		
Physical state	: liqu	bid			
Color	: col	ourless			
Odor	: we	ak			
Odor threshold	: No	te: no data a	vailable		
рН	: <	1			
Melting point/range	: -3	1 °C			
Boiling point/boiling range	: 12	122 °C at 1,013 hPa			
Flash point	: No	Note: Not applicable			
Evaporation rate	: No	te: no data a	vailable		
Flammability	: No	Not applicable			
Lower explosion limit	: No	te: Not appli	cable		
Upper explosion limit	: No	te: Not appli	cable		
Vapor pressure		: 50 hPa at 50 °C(122 °F)			
Vapor density	: No	te: no data a	vailable		
		Page 8	/ 15		

Honeywell Fluka[®]

30709-1L	
----------	--

709-1L sion 2.1	Revision Date 05/19/2020	Print Date 05/29/2
Density	: 1.400 - 1.480 g/cm3 at 20 °C	
Water solubility	: Note: completely miscible	
Partition coefficient:	: Note: no data available	
n-octanol/water		
Ignition temperature	: Note: Not applicable	
Auto-ignition temperature	: Note: not auto-flammable	
Viscosity, dynamic	: Note: no data available	
Viscosity, kinematic	: Note: no data available	
Molecular weight	: 63.01 g/mol	
Bulk density	: Note: Not applicable	
Corrosivity	: Note: Corrosive to metals	
CTION 10. STABILITY AND F	REACTIVITY	
Reactivity	: May intensify fire; oxidizer.	
Chemical stability	: Oxidizer. Contact with other materia	al may cause fire.
Possibility of hazardous reactions	: Gives off hydrogen by reaction with Hazardous polymerisation does not Reactions with organic substances. Corrosive in contact with metals	
Conditions to avoid	: Keep away from heat. Keep away from combustible mater	ial.



709-1L	Devicing Data of Kolooco	
sion 2.1	Revision Date 05/19/2020	Print Date 05/29/2
	Keep away from reducing agents. Protect from moisture.	
Incompatible materials	 As oxidising agent, attacks organic spaper, fats. Corrosive in contact with metals Gives off hydrogen by reaction with Reactions with organic substances. Flammable materials Incompatible with bases. Reactions with amines. Reactions with alkali metals. 	
Hazardous decomposition products	: In case of fire hazardous decompos produced such as: nitrogen oxides (NOx)	ition products may be
CTION 11. TOXICOLOGICA	L INFORMATION	
CTION 11. TOXICOLOGICA	L INFORMATION : Note: no data available Toxicity is de of the product.	etermined by the corrosivity
	: Note: no data available Toxicity is de	etermined by the corrosivity
Acute oral toxicity	 Note: no data available Toxicity is de of the product. LC50: 2500 ppm Exposure time: 1 h Species: Rat 	
Acute oral toxicity Acute inhalation toxicity	 Note: no data available Toxicity is de of the product. LC50: 2500 ppm Exposure time: 1 h Species: Rat Method: OECD Test Guideline 403 Note: no data available Toxicity is de 	
Acute oral toxicity Acute inhalation toxicity Acute dermal toxicity	 Note: no data available Toxicity is de of the product. LC50: 2500 ppm Exposure time: 1 h Species: Rat Method: OECD Test Guideline 403 Note: no data available Toxicity is de of the product. Species: Rabbit 	etermined by the corrosivity



709-1L		
sion 2.1	Revision Date 05/19/2020 Print Date	05/29/20
Sensitisation	Note: no data available	
Repeated dose toxicity	Note: Not classified due to data which are conclusive al insufficient for classification.	though
Genotoxicity in vitro	Note: Not classified due to data which are conclusive al insufficient for classification.	though
Further information	Note: Causes severe burns.	
CTION 12. ECOLOGICAL INFO	MATION	
Ecotoxicity effects		
Toxicity to fish	Note: no data available	
Toxicity to daphnia and other aquatic invertebrates	Note: no data available	
Toxicity to algae	Note: no data available	
Elimination information (per	tence and degradability)	
Biodegradability	Note: Not applicable The methods for determining biodegradability are not applicable to inorganic substances.	
Further information on ecolo	1	
Ecotoxicology Assessment		
Results of PBT assessment Not applicable Additional ecological information	Neutralisation will reduce ecotoxic effects.	
	Page 11 / 15	
	Page IT / 10	

Nitric acid

30709-1L Revision Date 05/19/2020 Version 2.1 SECTION 13. DISPOSAL CONSIDERATIONS **Disposal methods** : Observe all Federal, State, and Local Environmental regulations. **SECTION 14. TRANSPORT INFORMATION** DOT UN/ID No. : UN 2031 Proper shipping name : Nitric acid Class 8 Packing group П Hazard Labels 8 (5.1) ΙΑΤΑ UN/ID No. : UN 2031 Description of the goods : Nitric acid Class : 8 Packaging group : 11 Hazard Labels : 8 (5.1) Packing instruction (cargo : 855

aircraft)	
UN/ID No.	: UN 2031
Description of the goods	: Nitric acid
Class	: 8
Packaging group	: 11
Hazard Labels	: 8 (5.1)
EmS Number	: F-A, S-Q
Marine pollutant	: no
IMDG Code segregation gro	up 1 – ACIDS,
	UN/ID No. Description of the goods Class Packaging group Hazard Labels EmS Number

SECTION 15. REGULATORY INFORMATION

Inventories

US. Toxic Substances Control Act	: On TSCA Inventory
Australia. Industrial Chemical (Notification and	: On the inventory, or in compliance with the inventory
	Page 12 / 15



Print Date 05/29/2023

Nitric acid

Honeywell Fluka[®]

30709-1L					
Version 2.1		Revision Date 05/19/2020	Print Date 05/29/2023		
Assessment) Act					
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)	:	All components of this product are o	n the Canadian DSL		
Japan. Kashin-Hou Law List	:	On the inventory, or in compliance w	ith the inventory		
Korea. Existing Chemicals Inventory (KECI)	:	On the inventory, or in compliance w	vith the inventory		
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	:	On the inventory, or in compliance w	vith the inventory		
China. Inventory of Existing Chemical Substances (IECSC)	:	On the inventory, or in compliance w	<i>i</i> th the inventory		
New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand	:	On the inventory, or in compliance w	<i>i</i> th the inventory		
National regulatory information					
US. EPA CERCLA Hazardous Substances (40 CFR 302)	:	The following component(s) of this p release reporting under 40 CFR 302 Reportable Quantity (RQ):			
US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40	:	Reportable quantity: 1000 lbs Nitric acid The following component(s) of this p emergency planning provisions of 40 amounts equal to or greater than the Quantity (TPQ):	OCFR 355 when there are		
CFR 355, Appendix A)		Threshold Planning Quantity:: 1000	lbs		
	:	Nitric acid	7697-37-2		
Page 13 / 15					

Nitric acid

30709-1L



709-1L	Devision Data 05/10/2020	Drint Data 05/20/2
sion 2.1	Revision Date 05/19/2020	Print Date 05/29/2
SARA 302 Components	 The following components are sub established by SARA Title III, Sect Nitric acid 	
SARA 313 Components	The following components are sub established by SARA Title III, SectNitric acid	
SARA 311/312 Hazards	: Acute Health Hazard Reactivity Hazard	
CERCLA Reportable Quantity	: 1538 lbs	
California Prop. 65	: This product does not contain any California to cause cancer, birth de reproductive harm.	
Massachusetts RTK	: Nitric acid	7697-37-2
New Jersey RTK	: Nitric acid	7697-37-2
	: Nitric acid	

		HMIS III	NFPA
Health hazard	:	4	4
Flammability	:	0	0
Physical Hazard	:	3	
Instability	:		0
Special hazard	:		OX

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Page 14 / 15



Nitric acid

30709-1L

Version 2.1

Revision Date 05/19/2020

Print Date 05/29/2023

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 02/28/2018

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group

Page 15 / 15