

# Hydrochloric acid

ersion 1.3	Revision Date 11/12/2020	Print Date 06/01/202
ECTION 1. IDENTIFICATION		
Product name	: Hydrochloric acid	
Number	: 00000020253	
Product Use Description	: Laboratory chemicals	
Manufacturer or supplier's details	: Honeywell Specialty Chemicals See GmbH Wunstorfer Straße 40 Seelze, 30926	lze
For more information call	: 1-800-368-0050 +1-231-726-3171(Monday-Friday, 9	:00am-5:00pm)
In case of emergency call	<ul> <li>Medical: 1-800-498-5701 or +1-303</li> <li>Transportation (CHEMTREC): 1-80</li> <li>+1-703-527-3887</li> </ul>	
	: : (24 hours/day, 7 days/week)	
Emergency Overview		
Form	: liquid	
Color	: colourless	
Odor	: stinging	
Classification of the substa	ance or mixture	
Classification of the substand or mixture	ce : Corrosive to metals, Category 1 Skin corrosion, Category 1A Serious eye damage, Category 1 Specific target organ toxicity - sing Respiratory system	le exposure, Category 3,
	Page 1 / 14	



## Hydrochloric acid

#### 30721-2.5L

Version 1.3

Revision Date 11/12/2020

Print Date 06/01/2023

Symbol(s)	
Signal word	: Danger
Hazard statements	: May be corrosive to metals. Causes severe skin burns and eye damage. May cause respiratory irritation.
Precautionary statements	: <b>Prevention:</b> Keep only in original container. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
	Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.
	<b>Storage:</b> Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive resistant container with a resistant inner liner
	<b>Disposal:</b> Dispose of contents/ container to an approved waste disposal plant.
	Page 2 / 14



#### Hydrochloric acid

#### 30721-2.5L

Version 1.3 Revision Date 11/12/2020 Print Date 06/01/2023 Carcinogenicity No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA. SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS Formula : HCI Chemical nature : Substance Chemical name CAS-No. Concentration Water 7732-18-5 >=50.00 - <70.00 % Hydrochloric acid 7647-01-0 >=30.00 - <50.00 % **SECTION 4. FIRST AID MEASURES** General advice : First aider needs to protect himself. Remove from exposure, lie down. Immediately take off contaminated clothing and rinse body with plenty of water. : Remove to fresh air. If breathing is difficult, give oxygen. Use Inhalation oxygen as required, provided a qualified operator is present. Call a physician immediately. Wash off immediately with plenty of water for at least 15 Skin contact : minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Eye contact Protect unharmed eye. Irrigate eyes for at least 15 minutes with : copious quantities of water, keeping eyelids apart and away from eyeballs during irrigation. Call a physician immediately. Do NOT induce vomiting. Never give anything by mouth to an Ingestion unconscious person. Rinse mouth with water. Drink plenty of Page 3 / 14



	water. Magnesium hydroxide (milk of Magnesia) as an antacid may be given. Call a physician immediately.
Notes to physician	
Indication of immediate medical attention and special treatment needed, if necessary	: Treat symptomatically.
TION 5. FIREFIGHTING MEA	SURES
Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. If use of water is necessary use copious amounts
Specific hazards during firefighting	: Contact with metals liberates hydrogen gas. Vapours are heavier than air and may spread along floors.
Special protective equipment for firefighters	: In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit. No unprotected exposed skin areas.
Further information	: The product itself does not burn. Use a water spray to cool fully closed containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
TION 6. ACCIDENTAL RELEA	ASE MEASURES
Personal precautions, protective equipment and emergency procedures	<ul> <li>Immediately evacuate personnel to safe areas.</li> <li>Wear personal protective equipment. Unprotected persons must be kept away.</li> <li>Keep people away from and upwind of spill/leak.</li> <li>Ensure adequate ventilation.</li> <li>Do not breathe vapours or spray mist.</li> </ul>
Environmental precautions	<ul> <li>Discharge into the environment must be avoided.</li> <li>Prevent further leakage or spillage if safe to do so.</li> <li>Do not flush into surface water or sanitary sewer system.</li> </ul>
	Page 4 / 14



)721-2.5L			
rsion 1.3		Revision Date 11/12/2020	Print Date 06/01/2023
		If the product contaminates rivers and lak respective authorities.	es or drains inform
Methods and materials for containment and cleaning up	:	Ventilate the area. Neutralise with the following product(s): lime soda ash With acids neutralization takes place under	er development of
		heat.	
CTION 7. HANDLING AND ST	OR	AGE	
Handling			
Precautions for safe handling	:	Wear personal protective equipment. Use only in well-ventilated areas. Keep container tightly closed. Use only acid resistant equipment. When diluting, always add the product to w to the product. Do not breathe vapours or spray mist.	vater. Never add water
Advice on protection against fire and explosion	:	Normal measures for preventive fire prote	ection.
Storage			
Conditions for safe storage, including any incompatibilities	:	Store in original container. Keep containers tightly closed in a dry, co place. Protect from physical damage.	ol and well-ventilated
Advice on common storage	:	Do not store together with: Oxidizing agents alkalines	
CTION 8. EXPOSURE CONTR	ROL	S/PERSONAL PROTECTION	
Protective measures	:	Ensure that eyewash stations and safety s the workstation location. Legal requirements are to be considered i	
		Page 5 / 14	



## Hydrochloric acid

	:	selec Do no Use v	tion, use ar ot breathe v with local ex	11/12/2020 nd care of person vapours or spray khaust ventilation	mist.	Print Date 06/01/2
ì	:	Do no Use v	ot breathe v with local ex	vapours or spray	mist.	ctive equipment.
;	:				h	
			resisting flo	sistant equipmen or hkling nozzle		
	:				mplete pr	otection to eyes
	:	Glove	es must be	inspected prior to	o use.	
on	:	Acid- If spla	resistant pr ashes are li	otective clothing kely to occur, we	ar:	
	:			cient ventilation	wear suita	able respiratory
	:	pract Provi When Wash Keep Rema Conta work Do na Do na Do na This The c http:/	ice. de adequat n using, do n thoroughly working clo ove and wa aminated w place. ot swallow. ot breathe v ot get in eye material has current list o /www.aiha.	e ventilation. not eat, drink or s y after handling. othes separately. sh contaminated ork clothing shou yapours or spray es, on skin, or on s an established of ERPG exposur org/insideaiha/Gu	smoke. clothing Ild not be mist. clothing. AIHA ER e limits c uidelineD	before re-use. allowed out of the PG exposure limit. an be found at evelopment/ERPG/D
AS-No.			Value	Control parameters	Upda te	Basis
	on AS-No.	: on : :	Gogg Prote Glove Repla on : Wear Acid- If spla Full p : In ca equip : Hance pract Provi Wher Wash Keep Remo Conta work Do ne Do ne This The conta http://ocum	Goggles or face Protective glove Gloves must be Replace when w on Wear as approp Acid-resistant pr If splashes are li Full protective su In case of insuffi equipment. Handle in accord practice. Provide adequat When using, do Wash thoroughly Keep working clo Remove and wa Contaminated w workplace. Do not swallow. Do not get in eye This material ha The current list of http://www.aiha. ocuments/2011e	<ul> <li>Protective gloves Gloves must be inspected prior to Replace when worn.</li> <li>Wear as appropriate: Acid-resistant protective clothing If splashes are likely to occur, we Full protective suit</li> <li>In case of insufficient ventilation vequipment.</li> <li>Handle in accordance with good i practice. Provide adequate ventilation. When using, do not eat, drink or Wash thoroughly after handling. Keep working clothes separately. Remove and wash contaminated Contaminated work clothing shou workplace. Do not swallow. Do not breathe vapours or spray Do not get in eyes, on skin, or on This material has an established The current list of ERPG exposur http://www.aiha.org/insideaiha/Gu ocuments/2011erpgweelhandbood</li> </ul>	Goggles or face shield, giving complete pr         : Protective gloves Gloves must be inspected prior to use. Replace when worn.         on       : Wear as appropriate: Acid-resistant protective clothing If splashes are likely to occur, wear: Full protective suit         : In case of insufficient ventilation wear suita equipment.         : Handle in accordance with good industrial practice. Provide adequate ventilation. When using, do not eat, drink or smoke. Wash thoroughly after handling. Keep working clothes separately. Remove and wash contaminated clothing Contaminated work clothing should not be workplace. Do not swallow. Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on clothing. This material has an established AIHA ER The current list of ERPG exposure limits c http://www.aiha.org/insideaiha/GuidelineD ocuments/2011erpgweelhandbook_table-or         AS-No.       Value       Control       Upda



## Hydrochloric acid

#### 30721-2.5L

sion 1.3	R	evision Date	11/12/2020		Print Date 06/01/2
Hydrochloric acid	7647-01-0	Ceiling : Ceiling Limit Value:	(2 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values, as amended
Hydrochloric acid	7647-01-0	Ceil_Tim e : Ceiling Limit Value and Time Period (if specified) :	7 mg/m3 (5 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Hydrochloric acid	7647-01-0	Ceiling : Ceiling Limit Value:	7 mg/m3 (5 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Hydrochloric acid	7647-01-0	Ceiling : Ceiling Limit Value:	7 mg/m3 (5 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
CTION 9. PHYSICAL		-	ES		
Physical state	: liqu				
Color		ourless			
Odor	: stir	nging			
Odor threshold	: No	te: No data a	vailable		

pH : > 0.1 at , 20 °C

Melting point/range : ca. -35 °C

Page 7 / 14



## Hydrochloric acid

/21-2.5L		
sion 1.3	Revision Date 11/12/2020	Print Date 06/01/20
Boiling point/boiling range	: ca. 42 °C at 1,013 hPa	
Flash point	: Note: Not applicable	
Evaporation rate	: Note: No data available	
Flammability	: Not applicable	
Lower explosion limit	: Note: Not applicable	
Upper explosion limit	: Note: Not applicable	
Vapor pressure	: 965 hPa at 50 °C(122 °F) 190 hPa at 20 °C(68 °F)	
Vapor density	: Note: No data available	
Density	: ca. 1.190 g/cm3 at 20 °C	
Water solubility	: Note: completely miscible	
Partition coefficient: n-octanol/water	: Note: No data available	
Ignition temperature	: Note: Not applicable	
Decomposition temperature	: Note: No decomposition if used as d heat may cause violent rupture of pa	
Viscosity, dynamic	: 1.9 mPa.s at 15 °C	
Viscosity, kinematic	: Note: No data available	
	Page 8 / 14	



# Hydrochloric acid

ion 1.3	Revision Date 11/12/2020	Print Date 06/01/2
Molecular weight	: 36.46 g/mol	
Corrosivity	: Note: Corrosive to metals	
TION 10. STABILITY AND	REACTIVITY	
Reactivity	: Not classified as a reactivity hazard.	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous	: Hazardous polymerisation does not	occur.
eactions Conditions to avoid	: Keep away from heat. Protect from moisture.	
ncompatible materials	: Gives off hydrogen by reaction with Incompatible with strong bases and Ammonia Amines	
Hazardous decomposition products	: Hydrogen, by reaction with metals Hydrogen chloride gas Chlorine (Cl2)	
TION 11. TOXICOLOGICAL	- INFORMATION : Note: Toxicity is determined by the o	corrosivity of the product.
Acute inhalation toxicity	: Note: Toxicity is determined by the o	corrosivity of the product.
Acute dermal toxicity	: Note: Toxicity is determined by the o	corrosivity of the product.
	Page 9 / 14	



# Hydrochloric acid

721-2.5L		
sion 1.3	Revision Date 11/12/2020	Print Date 06/01/2
Skin irritation	: Species: Rabbit Result: Corrosive Method: OECD Test Guideline 404	
Eye irritation	: Note: Conclusive and supporting cla Dossier - ECHA disseminated data)	
Sensitisation	: Species: Guinea pig Classification: non-sensitizing Test substance: anhydrous substan Method: OECD Test Guideline 406	се
Repeated dose toxicity	: Note: Not classified due to data white insufficient for classification.	ch are conclusive although
Genotoxicity in vitro	: Note: Not classified due to data whi	ch are conclusive although
CTION 12. ECOLOGICAL INFO	insufficient for classification.	
CTION 12. ECOLOGICAL INFO	insufficient for classification.	
	insufficient for classification.	
CTION 12. ECOLOGICAL INFO	<ul> <li>insufficient for classification.</li> <li><b>DRMATION</b></li> <li>: semi-static test LC50: 3.25 - 3.5 mg/l Exposure time: 96 h</li> </ul>	
CTION 12. ECOLOGICAL INFO Ecotoxicity effects Toxicity to fish Toxicity to daphnia and other	insufficient for classification. <b>DRMATION</b> : semi-static test LC50: 3.25 - 3.5 mg/l Exposure time: 96 h Species: Lepomis macrochirus (Blue : static test EC50: 4.92 mg/l Exposure time: 48 h Species: Daphnia (water flea)	



30721	-2.5L
<b>301 Z</b> I	

Method: OECD Test	ulgaris (Fresh water algae) Guideline 201 <b>lity)</b> or determining biodegradability are not
Species: Chlorella vu Method: OECD Test Elimination information (persistence and degradabil Biodegradability : Note: The methods fo applicable to inorgani	Guideline 201 <b>lity)</b> or determining biodegradability are not
Biodegradability : Note: The methods for applicable to inorgani	or determining biodegradability are not
applicable to inorgani	
Further information on ecology	
Ecotoxicology Assessment	
Results of PBT assessment This substance is not considered to be persistent, bioaccum not considered to be very persistent and very bioaccum Additional ecological : Neutralisation will red information	ulating (vPvB).
SECTION 13. DISPOSAL CONSIDERATIONS	
Disposal methods : Observe all Federal, regulations.	State, and Local Environmental
SECTION 14. TRANSPORT INFORMATION	
DOTUN/ID No.: UN 1789Proper shipping name: HYDROCClass8Packing groupIIHazard Labels8	HLORIC ACID
IATA UN/ID No. : UN 1789 Description of the goods : HYDROC Class : 8 Packaging group : II Hazard Labels : 8 Packing instruction (cargo : 855 aircraft) Packing instruction : 851	HLORIC ACID
Page 11 / 14	



# Hydrochloric acid

rsion 1.3		Revision Date 11/12/2020 Print Date 06/01/20
	(passenger aircra Packing instruction (passenger aircra	n : Y840
IMDG	UN/ID No. Description of the Class Packaging group Hazard Labels EmS Number Marine pollutant IMDG Code segre	: UN 1789 goods : HYDROCHLORIC ACID : 8 : II : 8 : F-A, S-B : no egation group 1 – ACIDS,
CTION 15.	REGULATORY INF	ORMATION
Inventori	es	
US. Toxic Control A	Substances ct	: On TSCA Inventory
Australia. Chemical Assessmo	(Notification and	: On the inventory, or in compliance with the inventory
Act (CEP	Canadian ental Protection A). Domestic es List (DSL)	: All components of this product are on the Canadian DSL
Japan. Ka	shin-Hou Law List	: On the inventory, or in compliance with the inventory
Korea. Ex Inventory	isting Chemicals (KECI)	: On the inventory, or in compliance with the inventory
Substanc	s. The Toxic es and Hazardous ear Waste Control	: On the inventory, or in compliance with the inventory
	contony of Eviating	: On the inventory, or in compliance with the inventory
	ventory of Existing Substances	
Chemical (IECSC)		: On the inventory, or in compliance with the inventory



30	721	-2	5L
50	1 2 1	-2	

0721-2.5L		Devision Data 11/10/0000			
ersion 1.3		Revision Date 11/12/2020	Print Date 06/01/202		
Chemicals (NZIoC), as published by ERMA New Zealand					
National regulatory informa	itic	n			
US. EPA CERCLA : Hazardous Substances (40 CFR 302)		The following component(s) of this prelease reporting under 40 CFR 302 Reportable Quantity (RQ):			
US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40		Reportable quantity: 5000 lbs Hydrochloric acid The following component(s) of this p emergency planning provisions of 4 amounts equal to or greater than the Quantity (TPQ):	0 CFR 355 when there are		
CFR 355, Appendix A) Threshold Planning Quantity:: 5000 lbs					
	:	Hydrochloric acid	7647-01-0		
SARA 302 Components	:	The following components are subje established by SARA Title III, Section Hydrochloric acid			
SARA 313 Components	:	<ul> <li>The following components are subject to reporting levels established by SARA Title III, Section 313:</li> <li>Hydrochloric acid 7647-01-0</li> </ul>			
SARA 311/312 Hazards	:	Acute Health Hazard			
California Prop. 65		This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.			
Massachusetts RTK	:	Hydrochloric acid	7647-01-0		
Page 13 / 14					



#### Hydrochloric acid

#### 30721-2.5L

Version 1.3	Revision Date 11/12/2020	Print Date 06/01/2023
New Jersey RTK	: Hydrochloric acid	7647-01-0
Pennsylvania RTK	: Hydrochloric acid	7647-01-0

#### SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 3	3
Flammability	: 0	0
Physical Hazard	: 1	
Instability	:	1

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

#### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

#### Previous Issue Date: 09/18/2019

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group

Page 14 / 14