

Sulfuric acid concentrate**32043-1EA**

Version 1.3

Revision Date 08/21/2018

Print Date 08/01/2019

SECTION 1. IDENTIFICATION

Product name : Sulfuric acid concentrate

Number : 000000021291

Product Use Description : Laboratory chemicals

Manufacturer or supplier's details : Honeywell International Inc.
1953 South Harvey Street
Muskegon, MI 49442

For more information call : 1-800-368-0050
+1-231-726-3171

(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414
: **Transportation (CHEMTREC): 1-800-424-9300 or**
: **+1-703-527-3887**
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Form : liquid

Color : colourless

Odor : odourless

Sulfuric acid concentrate**32043-1EA**

Version 1.3

Revision Date 08/21/2018

Print Date 08/01/2019

Classification of the substance or mixture

Classification of the substance or mixture : Corrosive to metals, Category 1
Skin corrosion, Category 1B
Serious eye damage, Category 1

GHS Label elements, including precautionary statements

Symbol(s) :



Signal word : Danger

Hazard statements : May be corrosive to metals.
Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
Keep only in original container.
Wash skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Wash contaminated clothing before reuse.
Absorb spillage to prevent material damage.

Storage:

Sulfuric acid concentrate

32043-1EA

Version 1.3

Revision Date 08/21/2018

Print Date 08/01/2019

Store locked up.
Store in corrosive resistant container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Carcinogenicity

NTP:	Sulfuric Acid Known carcinogen	7664-93-9
IARC:	Sulfuric Acid Group 1: Carcinogenic to humans	7664-93-9
ACGIH:	Sulfuric Acid A2: Suspected human carcinogen	7664-93-9

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : H₂SO₄

Chemical nature : Mixture

Chemical name	CAS-No.	Concentration
Water	7732-18-5	>=90.00 - <=100.00 %
Sulfuric Acid	7664-93-9	>=5.00 - <10.00 %

SECTION 4. FIRST AID MEASURES

Sulfuric acid concentrate

32043-1EA

Version 1.3

Revision Date 08/21/2018

Print Date 08/01/2019

- General advice : First aider needs to protect himself. Move out of dangerous area. Immediately take off contaminated clothing and rinse body with plenty of water.
- Inhalation : Remove to fresh air. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician immediately.
- Skin contact : Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Call a physician immediately.
- Eye contact : Protect unharmed eye. Irrigate eyes for at least 15 minutes with copious quantities of water, keeping eyelids apart and away from eyeballs during irrigation. Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Call a physician immediately.
- Ingestion : Clean mouth with water and drink afterwards plenty of water. Magnesium hydroxide (milk of Magnesia) as an antacid may be given. Do NOT induce vomiting. Call a physician immediately.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Foam
Carbon dioxide (CO₂)
Dry powder
- Unsuitable extinguishing media : Water
Do NOT use water jet.
Contact with a relatively small quantity of water creates violent reaction generating much heat and spattering of hot acid
- Specific hazards during firefighting : Contact with combustible material may cause fire.
In case of fire hazardous decomposition products may be produced such as:
Sulphur oxides

Sulfuric acid concentrate**32043-1EA**

Version 1.3

Revision Date 08/21/2018

Print Date 08/01/2019

Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.
No unprotected exposed skin areas.

Further information : The product itself does not burn.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Wear personal protective equipment. Unprotected persons must be kept away.
Keep people away from and upwind of spill/leak.
Ensure adequate ventilation.
Do not breathe vapours or spray mist.
Do not get in eyes, on skin, or on clothing.

Environmental precautions : Do not flush into surface water or sanitary sewer system.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
Should not be released into the environment.

Methods and materials for containment and cleaning up : Ventilate the area.
Dilute with water.
Neutralise with the following product(s):
lime
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Never neutralise with the following products:
soda ash

Sulfuric acid concentrate**32043-1EA**

Version 1.3

Revision Date 08/21/2018

Print Date 08/01/2019

SECTION 7. HANDLING AND STORAGE**Handling**

Precautions for safe handling : Handle with extreme care.
Wear personal protective equipment.
Use only in well-ventilated areas.
Use only acid resistant equipment.
Do not breathe vapours or spray mist.
Do not get in eyes, on skin, or on clothing.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Conditions for safe storage, including any incompatibilities : Store in original container.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Storage rooms must be properly ventilated.
Keep in an area equipped with acid resistant flooring.
Store in upright position only.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.
Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment.
Do not breathe vapours or spray mist.
Do not get in eyes, on skin, or on clothing.

Engineering measures : Use with local exhaust ventilation.

Eye protection : Face-shield
Safety goggles

Hand protection : Impervious gloves

Sulfuric acid concentrate

32043-1EA

Version 1.3

Revision Date 08/21/2018

Print Date 08/01/2019

Gloves must be inspected prior to use.
Replace when worn.

- Skin and body protection : Wear suitable protective equipment.
Wear as appropriate:
acid-resistant protective clothing
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
- Hygiene measures : Separate rooms are required for washing, showering and changing clothes.
Contaminated work clothing should not be allowed out of the workplace.
Keep working clothes separately.
Take off all contaminated clothing immediately.
Remove and wash contaminated clothing before re-use.
Wash hands before breaks and at the end of workday.
Avoid contact with the skin and the eyes.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis
Sulfuric Acid	7664-93-9	TWA : Time weighted average	0.2 mg/m ³	2008	ACGIH:US. ACGIH Threshold Limit Values
Further information	:	Form of exposure : Thoracic fraction.			

Sulfuric Acid	7664-93-9	REL : Recommended exposure limit (REL):	1 mg/m ³	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
---------------	-----------	--	---------------------	------	---

Sulfuric acid concentrate
32043-1EA

Version 1.3

Revision Date 08/21/2018

Print Date 08/01/2019

Sulfuric Acid	7664-93-9	PEL : Permissible exposure limit	1 mg/m3	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
---------------	-----------	---	---------	------------	--

Sulfuric Acid	7664-93-9	TWA : Time weighted average	1 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
---------------	-----------	--------------------------------------	---------	------	---

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: colourless
Odor	: odourless
Odor threshold	: Note: no data available
pH	: Note: acidic
Melting point/range	: Note: no data available
Boiling point/boiling range	: Note: no data available
Flash point	: Note: Not applicable
Evaporation rate	: Note: no data available
Flammability	: Not applicable

Sulfuric acid concentrate**32043-1EA**

Version 1.3

Revision Date 08/21/2018

Print Date 08/01/2019

Lower explosion limit	: Note: Not applicable
Upper explosion limit	: Note: Not applicable
Vapor density	: Note: no data available
Density	: ca. 1.05 g/cm ³ at 20 °C
Water solubility	: Note: completely soluble
Partition coefficient: n-octanol/water	: Note: no data available
Decomposition temperature	: Note: No decomposition if used as directed.
Viscosity, dynamic	: Note: no data available
Viscosity, kinematic	: Note: no data available
Molecular weight	: 98.08 g/mol
Corrosivity	: Note: Corrosive to metals

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous	: Hazardous polymerisation does not occur.

Sulfuric acid concentrate**32043-1EA**

Version 1.3

Revision Date 08/21/2018

Print Date 08/01/2019

reactions : Gives off hydrogen by reaction with metals.

Conditions to avoid : Protect from heat/overheating.

Incompatible materials : Bases
Reducing agents
Organic materials
Copper
Amines
Alcohols
Aldehydes
Cyanides
Sulphides
Nitriles
Gives off hydrogen by reaction with metals.

Hazardous decomposition products : Sulphur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : Note: no data available
: Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Note: no data available

Acute dermal toxicity : Note: no data available

Skin irritation : Note: Classification based on Annex VI of regulation 1272/2008/EC.

Sulfuric acid concentrate**32043-1EA**

Version 1.3

Revision Date 08/21/2018

Print Date 08/01/2019

Eye irritation	: Note: Classification based on Annex VI of regulation 1272/2008/EC.
Sensitisation	: Note: no data available
Genotoxicity in vitro	: Note: Not classified due to data which are conclusive although insufficient for classification.
Carcinogenicity Sulfuric Acid	: Note: An increased risk of cancer in humans has been shown in work-place based studies. This hazard is related to exposure to the mist/vapor of the acid and not the acid solution. Please review IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Occupational Exposures to Mists and Vapours from Strong Inorganic Acids; and Other Industrial Chemicals, Vol. 54, 1992 and IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, A review of human carcinogens: Chemical Agents and Related Occupations, Vol. 100F, 2012.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Toxicity to fish	: Note: no data available
Toxicity to daphnia and other aquatic invertebrates	: Note: no data available
Toxicity to algae	: Note: no data available

Elimination information (persistence and degradability)

Sulfuric acid concentrate

32043-1EA

Version 1.3

Revision Date 08/21/2018

Print Date 08/01/2019

Biodegradability : Note: The methods for determining biodegradability are not applicable to inorganic substances.

Further information on ecology

Additional ecological information : Neutralisation will reduce ecotoxic effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

SECTION 14. TRANSPORT INFORMATION

DOT

UN/ID No.	:	UN 3264
Proper shipping name	:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulphuric acid)
Class	:	8
Packing group	:	III
Hazard Labels	:	8

IATA

UN/ID No.	:	UN 3264
Description of the goods	:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulphuric acid)
Class	:	8
Packaging group	:	III
Hazard Labels	:	8
Packing instruction (cargo aircraft)	:	856
Packing instruction (passenger aircraft)	:	852
Packing instruction (passenger aircraft)	:	Y841

Sulfuric acid concentrate**32043-1EA**

Version 1.3

Revision Date 08/21/2018

Print Date 08/01/2019

IMDG UN/ID No. : UN 3264
Description of the goods : CORROSIVE LIQUID, ACIDIC, INORGANIC,
N.O.S.
(SULPHURIC ACID)
Class : 8
Packaging group : III
Hazard Labels : 8
EmS Number : F-A, S-B
Marine pollutant : no
IMDG Code segregation group 1 – ACIDS,

SECTION 15. REGULATORY INFORMATION**Inventories**

US. Toxic Substances : On TSCA Inventory
Control Act

Australia. Industrial : On the inventory, or in compliance with the inventory
Chemical (Notification and
Assessment) Act

Canada. Canadian : All components of this product are on the Canadian DSL
Environmental Protection
Act (CEPA). Domestic
Substances List (DSL)

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals : On the inventory, or in compliance with the inventory
Inventory (KECI)

Philippines. The Toxic : On the inventory, or in compliance with the inventory
Substances and Hazardous
and Nuclear Waste Control
Act

China. Inventory of Existing : On the inventory, or in compliance with the inventory
Chemical Substances

Sulfuric acid concentrate
32043-1EA

Version 1.3

Revision Date 08/21/2018

Print Date 08/01/2019

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand : On the inventory, or in compliance with the inventory

National regulatory information

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A) : The following component(s) of this product is/are subject to release reporting under 40 CFR 302 when release exceeds the Reportable Quantity (RQ):

Reportable quantity: 1000 lbs

: Sulfuric Acid 7664-93-9

SARA 302 Components : The following components are subject to reporting levels established by SARA Title III, Section 302:

: Sulfuric Acid 7664-93-9

SARA 313 Components : The following components are subject to reporting levels established by SARA Title III, Section 313:

: Sulfuric Acid 7664-93-9

SARA 311/312 Hazards : Acute Health Hazard
Chronic Health Hazard

California Prop. 65 :



WARNING: This product can expose you to chemicals, listed below, known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Sulfuric Acid 7664-93-9

Massachusetts RTK : Sulfuric Acid 7664-93-9

Sulfuric acid concentrate**32043-1EA**

Version 1.3

Revision Date 08/21/2018

Print Date 08/01/2019

New Jersey RTK	: Sulfuric Acid	7664-93-9
Pennsylvania RTK	: Sulfuric Acid	7664-93-9

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 3	3
Flammability	: 0	0
Physical Hazard	: 0	
Instability	:	0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 09/13/2017

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group