

HYDRANAL™-Composite 5**34805-1L-US**

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

SECTION 1. IDENTIFICATION

Product name : HYDRANAL™-Composite 5

Number : 000000020610

Product Use Description : Laboratory chemicals
Scientific research and development

Manufacturer or supplier's details : Honeywell International Inc.
1953 South Harvey Street
Muskegon, MI 49442

For more information call : 1-800-368-0050
+1-231-726-3171(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414
: Transportation (CHEMTREC): 1-800-424-9300 or
+1-703-527-3887
:
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Form : liquid

Color : brown

Odor : characteristic

Classification of the substance or mixture

Classification of the substance or mixture : Carcinogenicity, Category 2
Reproductive toxicity, Category 1B
Specific target organ toxicity - repeated exposure, Category 1

GHS Label elements, including precautionary statements

HYDRANAL™-Composite 5**34805-1L-US**

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

Symbol(s)

:



Signal word

: Danger

Hazard statements

: Suspected of causing cancer.
May damage fertility or the unborn child.
Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

: **Prevention:**
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
Wash skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use personal protective equipment as required.**Response:**

IF exposed or concerned: Get medical advice/ attention.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

CarcinogenicityIARC: 2-Methylimidazole 693-98-1
Group 2B: Possibly carcinogenic to humans**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical nature

: Mixture

HYDRANAL™-Composite 5**34805-1L-US**

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

Chemical name	CAS-No.	Concentration
2-(2-Ethoxyethoxy)ethanol	111-90-0	>65.00 - <75.00 %
Iodine	7553-56-2	>=5.00 - <10.00 %
Imidazole	288-32-4	>=5.00 - <10.00 %
Sulphur dioxide	7446-09-5	>=5.00 - <10.00 %
1H-Imidazole monohydriodide	68007-08-9	>=5.00 - <10.00 %
2-Methylimidazole	693-98-1	>=5.00 - <10.00 %

SECTION 4. FIRST AID MEASURES

- General advice : First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately.
- Inhalation : Move to fresh air. Keep patient warm and at rest. Call a physician immediately.
- Skin contact : Wash off immediately with plenty of water. If skin irritation persists, call a physician.
- Eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Protect unharmed eye.
- Ingestion : When swallowed, allow water to be drunk. Do NOT induce vomiting. Call a physician immediately.

Notes to physician

- Most important symptoms/effects, acute and delayed : No information available.

HYDRANAL™-Composite 5**34805-1L-US**

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

Indication of immediate medical attention and special treatment needed, if necessary : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry powder
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during firefighting : Fire may cause evolution of:
Carbon monoxide
Carbon dioxide (CO₂)
Sulphur oxides
nitrogen oxides (NO_x)
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Wear personal protective equipment. Unprotected persons must be kept away.
Ensure adequate ventilation.
Remove all sources of ignition.
- Environmental precautions : Should not be released into the environment.
- Methods and materials for containment and cleaning up : Ventilate the area.
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national

HYDRANAL™-Composite 5
34805-1L-US

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

regulations (see section 13).

SECTION 7. HANDLING AND STORAGE
Handling

Precautions for safe handling : Wear personal protective equipment.
Use only in well-ventilated areas.

Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking.
Normal measures for preventive fire protection.

Storage

Conditions for safe storage, including any incompatibilities : Keep only in the original container, tightly closed, in a well ventilated place.
Store at room temperature.
(Ambient temperature: > 0 < 35°C)
Protect from atmospheric moisture and water.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.
Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment.
Avoid exposure - obtain special instructions before use.

Engineering measures : Use with local exhaust ventilation.
Prevent vapour buildup by providing adequate ventilation during and after use.

Eye protection : Safety goggles

Hand protection : Wear nitrile rubber gloves to avoid contact with the skin.
Gloves must be inspected prior to use.
Replace when worn.

Skin and body protection : Protective suit

Respiratory protection : In case of insufficient ventilation wear suitable respiratory

HYDRANAL™-Composite 5
34805-1L-US

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

equipment.

Hygiene measures : Take off all contaminated clothing immediately.
Remove and wash contaminated clothing before re-use.
Wash hands before breaks and at the end of workday.
When using do not eat or drink.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis
2-(2-Ethoxyethoxy)ethanol	111-90-0	TWA : Time weighted average	140 mg/m3 (25 ppm)	2007	WEEL:US. OARS. WEELs Workplace Environmental Exposure Level Guide, as amended
Iodine	7553-56-2	Ceil_Tim e : Ceiling Limit Value and Time Period (if specified) :	1 mg/m3 (0.1 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Iodine	7553-56-2	Ceiling : Ceiling Limit Value:	1 mg/m3 (0.1 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Iodine	7553-56-2	Ceiling : Ceiling Limit Value:	1 mg/m3 (0.1 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Iodine	7553-56-2	TWA : Time weighted average	(0.01 ppm)	03 2014	ACGIH:US. ACGIH Threshold Limit Values, as amended

HYDRANAL™-Composite 5
34805-1L-US

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

Further information	:	Form of exposure : Inhalable fraction and vapor.
---------------------	---	--

Iodine	7553-56-2	STEL : Short term exposure limit	(0.1 ppm)	03 2017	ACGIH:US. ACGIH Threshold Limit Values, as amended
--------	-----------	-------------------------------------	-----------	------------	--

Further information	:	Form of exposure : Vapor fraction
---------------------	---	-----------------------------------

Iodine	7553-56-2	Ceil_Tim e : Ceiling Limit Value and Time Period (if specified) :	1 mg/m3 (0.1 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards, as amended
--------	-----------	---	----------------------	------	---

Iodine	7553-56-2	Ceiling : Ceiling Limit Value:	1 mg/m3 (0.1 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
--------	-----------	-----------------------------------	----------------------	------------	--

Iodine	7553-56-2	Ceiling : Ceiling Limit Value:	1 mg/m3 (0.1 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
--------	-----------	-----------------------------------	----------------------	------	---

Sulphur dioxide	7446-09-5	STEL : Short term exposure limit	(0.25 ppm)	2009	ACGIH:US. ACGIH Threshold Limit Values, as amended
-----------------	-----------	-------------------------------------	------------	------	--

HYDRANAL™-Composite 5**34805-1L-US**

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

Sulphur dioxide	7446-09-5	STEL : Short term exposure limit	13 mg/m3 (5 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Sulphur dioxide	7446-09-5	REL : Recomm ended exposure limit (REL):	5 mg/m3 (2 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards, as amended
Sulphur dioxide	7446-09-5	PEL : Permissi ble exposure limit	13 mg/m3 (5 ppm)	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Sulphur dioxide	7446-09-5	STEL : Short term exposure limit	13 mg/m3 (5 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Sulphur dioxide	7446-09-5	TWA : Time weighted average	5 mg/m3 (2 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: brown
Odor	: characteristic

HYDRANAL™-Composite 5**34805-1L-US**

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

Odor threshold	: Note: no data available
pH	: 4.5 - 5.5 at , 20 °C
Melting point/range	: Note: no data available
Boiling point/boiling range	: 194 °C at 1,013 hPa
Flash point	: 210 °F (99 °C)
Evaporation rate	: Note: no data available
Flammability	: Not applicable
Lower explosion limit	: Note: no data available
Upper explosion limit	: Note: no data available
Vapor pressure	: Note: no data available
Vapor density	: Note: no data available
Density	: ca. 1.17 g/cm ³ at 25 °C
Water solubility	: Note: completely miscible
Partition coefficient: n-octanol/water	: Note: no data available
Ignition temperature	: Note: no data available

HYDRANAL™-Composite 5**34805-1L-US**

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

Decomposition temperature : Note: No decomposition if used as directed.

Viscosity, dynamic : Note: no data available

Viscosity, kinematic : Note: no data available

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Hazardous polymerisation does not occur.

Conditions to avoid : Protect from atmospheric moisture and water.
Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : In case of fire hazardous decomposition products may be produced such as:
Carbon monoxide
Carbon dioxide (CO₂)
Sulphur oxides
nitrogen oxides (NO_x)

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50: > 2,000 mg/kg
Species: Rat
Method: OECD 423

Acute inhalation toxicity : Note: no data available

HYDRANAL™-Composite 5**34805-1L-US**

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

Acute dermal toxicity	: LD50: > 2,000 mg/kg Species: Rat Method: OECD Test Guideline 402
Skin irritation	: Species: Rabbit Result: No skin irritation Method: OECD Test Guideline 404
Eye irritation	: Species: Rabbit Result: No eye irritation Method: OECD Test Guideline 405
Sensitisation 2-(2-Ethoxyethoxy)ethanol	: Species: Guinea pig Classification: non-sensitizing
1H-Imidazole monohydriodide	: Mouse local lymph node assay Species: Mouse Result: Does not cause skin sensitisation. Method: OECD 429
2-Methylimidazole	: Mouse local lymph node assay Species: Mouse Result: Did not cause sensitisation on laboratory animals. Method: OECD Test Guideline 429
Repeated dose toxicity 1H-Imidazole monohydriodide	: Species: Rat Application Route: Ingestion Exposure time: (28 d) NOEL: 50 mg/kg/d Method: Repeated dose (28 days) toxicity (oral)
Genotoxicity in vitro	: Test Method: Ames test Result: negative
Genotoxicity in vivo 2-(2-Ethoxyethoxy)ethanol	: Species: Rat, male

HYDRANAL™-Composite 5**34805-1L-US**

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

- Cell type: Liver cells
Application Route: Oral
Method: OECD Test Guideline 486
Result: negative
- : Test Method: Chromosome aberration test
Species: Mouse, male
Cell type: Bone marrow
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
- Imidazole : Test Method: Micronucleus test
Species: Mouse, male and female
Cell type: Bone marrow
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
- Teratogenicity
Imidazole : Species: Rat
Application Route: Oral
- No observed adverse effect level: 60 mg/kg body weight
No observed adverse effect level: 60 mg/kg body weight
Method: OECD Test Guideline 414
Result: Embryotoxic effects and adverse effects on the offspring were detected.
- 2-Methylimidazole : Species: Rat
Application Route: Oral
- No observed adverse effect level: >50 mg/kg body weight
No observed adverse effect level: 2 mg/kg body weight
Method: OECD Test Guideline 414
Result: Embryotoxic effects and adverse effects on the offspring were detected.
- Further information : Note: Causes damage to organs through prolonged or repeated exposure (Thyroid).

HYDRANAL™-Composite 5**34805-1L-US**

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

SECTION 12. ECOLOGICAL INFORMATION

Toxicity to fish

2-(2-Ethoxyethoxy)ethanol : flow-through test
LC50: 6,010 mg/l
Exposure time: 96 h
Species: Ictalurus punctatus (channel catfish)
Method: OECD Test Guideline 203

Iodine : LC50: 1.67 mg/l
Exposure time: 96 h
Species: Oncorhynchus mykiss (rainbow trout)

Imidazole : static test
LC50: 283.6 mg/l
Exposure time: 48 h
Species: Leuciscus idus (Golden orfe)

1H-Imidazole
monohydriodide : LC0: \geq 100 mg/l
Exposure time: 96 h
Species: Danio rerio (zebra fish)
Method: OECD Test Guideline 203

2-Methylimidazole : static test
LC50: 190 mg/l
Exposure time: 96 h
Species: Leuciscus idus (Golden orfe)
Method: DIN 38412

Toxicity to daphnia and other aquatic invertebrates

2-(2-Ethoxyethoxy)ethanol : static test
LC50: 1,982 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 202

Iodine : LC50: 0.55 mg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)

Imidazole : static test

HYDRANAL™-Composite 5**34805-1L-US**

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

		EC50: 341.5 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) Method: Directive 67/548/EEC, Annex V, C.2.
1H-Imidazole monohydriodide	:	EC50: 1.4 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202
		EC0: 0.46 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202
2-Methylimidazole	:	static test EC50: 225.31 mg/l Exposure time: 48 h Species: Daphnia magna (Water flea) Method: Directive 67/548/EEC, Annex V, C.2.
Toxicity to algae Iodine	:	Growth inhibition EC50: 0.13 mg/l Exposure time: 72 h Species: Desmodesmus subspicatus (green algae) Method: OECD Test Guideline 201
Imidazole	:	static test EC50: 133 mg/l Exposure time: 72 h Species: Desmodesmus subspicatus (green algae) Method: DIN 38412
1H-Imidazole monohydriodide	:	Biomass EC50: 8.3 mg/l Exposure time: 72 h Species: scenedesmus subspicatus Method: OECD Test Guideline 201
		Growth rate EC50: 34 mg/l Exposure time: 72 h Species: scenedesmus subspicatus

HYDRANAL™-Composite 5**34805-1L-US**

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

Method: OECD Test Guideline 201

Biomass
NOEC: 1 mg/l
Exposure time: 72 h
Species: scenedesmus subspicatus
Method: OECD Test Guideline 201

Biomass
NOEC: 1 mg/l
Exposure time: 72 h
Species: scenedesmus subspicatus
Method: OECD Test Guideline 201

2-Methylimidazole : static test
EC50: 256.3 mg/l
Exposure time: 72 h
Species: Desmodesmus subspicatus (Scenedesmus subspicatus)
Method: DIN 38412

static test
EC50: 189 mg/l
Exposure time: 72 h
Species: Desmodesmus subspicatus (Scenedesmus subspicatus)
Method: DIN 38412

Toxicity to bacteria
1H-Imidazole
monohydriodide : Respiration inhibition
EC50: > 1,000 mg/l
Exposure time: 3 h
Species: activated sludge
Method: OECD 209

Respiration inhibition
NOEC: 320 mg/l
Exposure time: 3 h
Species: activated sludge
Method: OECD 209

Elimination information (persistence and degradability)

Biodegradability : Result: Readily biodegradable.

HYDRANAL™-Composite 5**34805-1L-US**

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

Value: 78 %
Method: OECD 302 B**Further information on ecology**

Additional ecological information

Iodine : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

SECTION 14. TRANSPORT INFORMATION**DOT** Not dangerous goods**TDG** Not dangerous goods**IATA** Not dangerous goods**IMDG** Not dangerous goods**SECTION 15. REGULATORY INFORMATION****Inventories**

US. Toxic Substances Control Act : All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

Australia. Industrial Chemical (Notification and Assessment) Act : On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) : On the inventory, or in compliance with the inventory

HYDRANAL™-Composite 5
34805-1L-US

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

Note : Note: Because of the potential specific inventory listing of components of this product line, further, more detailed information can be requested from SafetyDataSheet@Honeywell.com.

National regulatory information

TSCA : This material must be used in compliance with the TSCA Research and Development Exemption requirements (40 CFR 720.36).

:

SARA 302 Components : The following components are subject to reporting levels established by SARA Title III, Section 302:
: Sulphur dioxide 7446-09-5

SARA 313 Components : The following components are subject to reporting levels established by SARA Title III, Section 313:
: 2-(2-Ethoxyethoxy)ethanol 111-90-0

SARA 311/312 Hazards : Acute Health Hazard
Chronic Health Hazard

California Prop. 65 :



WARNING: This product can expose you to chemicals, listed below, known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

2-Methylimidazole 693-98-1
Sulphur dioxide 7446-09-5

Massachusetts RTK : Sulphur dioxide 7446-09-5
: Iodine 7553-56-2

New Jersey RTK : Sulphur dioxide 7446-09-5
: Iodine 7553-56-2
: 2-(2-Ethoxyethoxy)ethanol 111-90-0

Pennsylvania RTK : 2-(2-Ethoxyethoxy)ethanol 111-90-0
: Sulphur dioxide 7446-09-5
: Iodine 7553-56-2

HYDRANAL™-Composite 5**34805-1L-US**

Version 1.3

Revision Date 02/28/2020

Print Date 08/03/2021

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 2	2
Flammability	: 1	1
Physical Hazard	: 0	
Instability	:	0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 10/07/2019

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group