

F38070 0,1MPotas. hydroxide FIX 1,00SA

00000021764

Version 1.0

Revision Date 12/09/2016

Print Date 05/22/2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Potassium hydroxide concentrate

Number : 00000021764

Product Use Description : Laboratory chemicals

Manufacturer or supplier's details : Honeywell International Inc.
1953 South Harvey Street
Muskegon, MI 49442

For more information call : 1-800-368-0050
+1-231-726-3171
(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414
: **Transportation (CHEMTREC): 1-800-424-9300 or**
: **+1-703-527-3887**
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Form : liquid

Color : colourless

Odor : odourless

Classification of the substance or mixture

Classification of the substance or mixture : Corrosive to metals, Category 1
Skin corrosion, Category 1A
Serious eye damage, Category 1

GHS Label elements, including precautionary statements

SAFETY DATA SHEET



F38070 0,1MPotas. hydroxide FIX 1,00SA

000000021764

Version 1.0

Revision Date 12/09/2016

Print Date 05/22/2019

Symbol(s)

:



Signal word

: Danger

Hazard statements

: May be corrosive to metals.
Causes severe skin burns and eye damage.

Precautionary statements

: **Prevention:**
Keep only in original container.
Wash skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Wash contaminated clothing before reuse.
Absorb spillage to prevent material damage.

Storage:

Store locked up.
Store in corrosive resistant container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula

: HKO

F38070 0,1MPotas. hydroxide FIX 1,00SA

00000021764

Version 1.0

Revision Date 12/09/2016

Print Date 05/22/2019

Chemical nature : Mixture

Chemical name	CAS-No.	Concentration
Water	7732-18-5	>=80.00 - <90.00 %
Potassium hydroxide	1310-58-3	>=10.00 - <20.00 %

SECTION 4. FIRST AID MEASURES

- Inhalation : Remove to fresh air. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician immediately.
- Skin contact : Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Call a physician immediately.
- Eye contact : Protect unharmed eye. Irrigate eyes for at least 15 minutes with copious quantities of water, keeping eyelids apart and away from eyeballs during irrigation. Call a physician immediately.
- Ingestion : Rinse mouth with water. Do NOT induce vomiting. Call a physician immediately.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry powder
- Specific hazards during firefighting : Contact with metals liberates hydrogen gas.
Fire may cause evolution of:
Potassium oxide
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

F38070 0,1MPotas. hydroxide FIX 1,00SA

000000021764

Version 1.0

Revision Date 12/09/2016

Print Date 05/22/2019

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Evacuate personnel to safe areas.
Wear personal protective equipment. Unprotected persons must be kept away.
Ensure adequate ventilation.
Do not breathe vapours or spray mist.
Do not get in eyes, on skin, or on clothing.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
Should not be released into the environment.
- Methods for cleaning up : Soak up with inert absorbent material.
Sweep up and shovel into suitable containers for disposal.
Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE**Handling**

- Handling : Wear personal protective equipment.
Use only in well-ventilated areas.
Do not breathe vapours or spray mist.
Do not get in eyes, on skin, or on clothing.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

- Requirements for storage areas and containers : Store in original container.
Keep containers tightly closed in a dry, cool and well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.
Legal requirements are to be considered in regard of the

SAFETY DATA SHEET



F38070 0,1MPotas. hydroxide FIX 1,00SA

000000021764

Version 1.0

Revision Date 12/09/2016

Print Date 05/22/2019

selection, use and care of personal protective equipment.
Do not breathe vapours or spray mist.
Do not get in eyes, on skin, or on clothing.

- Engineering measures : Use with local exhaust ventilation.
- Eye protection : Safety goggles
- Hand protection : Impervious gloves
Gloves must be inspected prior to use.
Replace when worn.
- Skin and body protection : Protective suit
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
- Hygiene measures : Take off all contaminated clothing immediately.
Remove and wash contaminated clothing before re-use.
Keep working clothes separately.
Wash hands before breaks and at the end of workday.
When using, do not eat, drink or smoke.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis
Potassium hydroxide	1310-58-3	Ceiling : Ceiling Limit Value:	2 mg/m3	2008	ACGIH:US. ACGIH Threshold Limit Values
Potassium hydroxide	1310-58-3	REL : Recomm ended exposure limit (REL):	2 mg/m3	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
Potassium hydroxide	1310-58-3	Ceiling : Ceiling Limit Value:	2 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

SAFETY DATA SHEET



F38070 0,1MPotas. hydroxide FIX 1,00SA

000000021764

Version 1.0

Revision Date 12/09/2016

Print Date 05/22/2019

Color : colourless

Odor : odourless

pH : Note: alkaline

Melting point/range : Note: no data available

Boiling point/boiling range : > 100 °C at 1,013 hPa

Flash point : Note: Not applicable

Lower explosion limit : Note: Not applicable

Upper explosion limit : Note: Not applicable

Density : ca. 1.140 g/cm³ at 20 °C

Water solubility : Note: completely miscible

Ignition temperature : Note: Not applicable

Molecular weight : 56.11 g/mol

Corrosivity : Note: Corrosive to metals

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

SAFETY DATA SHEET



F38070 0,1MPotas. hydroxide FIX 1,00SA

000000021764

Version 1.0

Revision Date 12/09/2016

Print Date 05/22/2019

Possibility of hazardous reactions : Gives off hydrogen by reaction with metals.
Exothermic reaction with strong acids.

Conditions to avoid : None known.

Incompatible materials to avoid : Metals
Strong acids

Hazardous decomposition products : Potassium oxide

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : Note: no data available

Acute inhalation toxicity : Note: no data available

Acute dermal toxicity : Note: no data available

Skin irritation : Note: Classification based on Annex VI of regulation 1272/2008/EC.

Eye irritation : Note: Classification based on Annex VI of regulation 1272/2008/EC.

Sensitisation : Note: no data available

Repeated dose toxicity : Note: no data available

Genotoxicity in vitro : Note: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Toxicity to fish : Note: no data available

F38070 0,1MPotas. hydroxide FIX 1,00SA

000000021764

Version 1.0

Revision Date 12/09/2016

Print Date 05/22/2019

Toxicity to daphnia and other aquatic invertebrates : Note: no data available

Toxicity to algae : Note: no data available

Elimination information (persistence and degradability)

Biodegradability : Note: The methods for determining biodegradability are not applicable to inorganic substances.

Further information on ecology

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

SECTION 14. TRANSPORT INFORMATION

DOT	UN/ID No.	: UN 1814
	Proper shipping name	: POTASSIUM HYDROXIDE SOLUTION
	Class	: 8
	Packing group	: II
	Hazard Labels	: 8

IATA	UN/ID No.	: UN 1814
	Description of the goods	: POTASSIUM HYDROXIDE SOLUTION
	Class	: 8
	Packaging group	: II
	Hazard Labels	: 8
	Packing instruction (cargo aircraft)	: 855
	Packing instruction (passenger aircraft)	: 851
	Packing instruction (passenger aircraft)	: Y840

IMDG	UN/ID No.	: UN 1814
	Description of the goods	: POTASSIUM HYDROXIDE SOLUTION
	Class	: 8
	Packaging group	: II

F38070 0,1MPotas. hydroxide FIX 1,00SA

000000021764

Version 1.0

Revision Date 12/09/2016

Print Date 05/22/2019

Hazard Labels	: 8
EmS Number	: F-A, S-B
Marine pollutant	: no

SECTION 15. REGULATORY INFORMATION**Inventories**

US. Toxic Substances Control Act	: On TSCA Inventory
Australia. Industrial Chemical (Notification and Assessment) Act	: On the inventory, or in compliance with the inventory
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)	: All components of this product are on the Canadian DSL
Japan. Kashin-Hou Law List	: On the inventory, or in compliance with the inventory
Korea. Toxic Chemical Control Law (TCCL) List	: On the inventory, or in compliance with the inventory
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	: On the inventory, or in compliance with the inventory
China. Inventory of Existing Chemical Substances	: On the inventory, or in compliance with the inventory
New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand	: On the inventory, or in compliance with the inventory

National regulatory information

US. EPA CERCLA Hazardous Substances (40 CFR 302)	: The following component(s) of this product is/are subject to release reporting under 40 CFR 302 when release exceeds the Reportable Quantity (RQ):
	Reportable quantity: 1000 lbs
	: Potassium hydroxide 1310-58-3

SAFETY DATA SHEET



F38070 0,1MPotas. hydroxide FIX 1,00SA

00000021764

Version 1.0

Revision Date 12/09/2016

Print Date 05/22/2019

- SARA 302 Components** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
- SARA 313 Components** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
- SARA 311/312 Hazards** : Acute Health Hazard
- California Prop. 65** : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Massachusetts RTK	: Potassium hydroxide	1310-58-3
New Jersey RTK	: Potassium hydroxide	1310-58-3
Pennsylvania RTK	: Potassium hydroxide	1310-58-3

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 3	3
Flammability	: 0	0
Physical Hazard	: 0	
Instability	:	0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous

SAFETY DATA SHEET



F38070 0,1MPotas. hydroxide FIX 1,00SA

000000021764

Version 1.0

Revision Date 12/09/2016

Print Date 05/22/2019

versions.

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group