

F38210 0,1M Sodium hydroxide FIX1,00SA

00000021767

Version 1.0

Revision Date 12/08/2016

Print Date 05/22/2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sodium hydroxide concentrate

Number : 00000021767

Product Use Description : Laboratory chemicals

Manufacturer or supplier's details : Honeywell International Inc.
1953 South Harvey Street
Muskegon, MI 49442

For more information call : 1-800-368-0050
+1-231-726-3171
(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414
: **Transportation (CHEMTREC): 1-800-424-9300 or**
: **+1-703-527-3887**
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Form : liquid

Color : colourless

Odor : odourless

Classification of the substance or mixture

Classification of the substance or mixture : Corrosive to metals, Category 1
Skin corrosion, Category 1A
Serious eye damage, Category 1

GHS Label elements, including precautionary statements

F38210 0,1M Sodium hydroxide FIX1,00SA

00000021767

Version 1.0

Revision Date 12/08/2016

Print Date 05/22/2019

Symbol(s)

:



Signal word

: Danger

Hazard statements

: May be corrosive to metals.
Causes severe skin burns and eye damage.

Precautionary statements

: **Prevention:**
Keep only in original container.
Wash skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.**Response:**

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Wash contaminated clothing before reuse.
Absorb spillage to prevent material damage.

Storage:

Store locked up.
Store in corrosive resistant container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula

: NaOH

F38210 0,1M Sodium hydroxide FIX1,00SA

00000021767

Version 1.0

Revision Date 12/08/2016

Print Date 05/22/2019

Chemical nature : Mixture

Chemical name	CAS-No.	Concentration
Sodium hydroxide	1310-73-2	>=5.00 - <=15.00 %
Water	7732-18-5	>=85.00 - <=95.00 %

SECTION 4. FIRST AID MEASURES

- General advice : First aider needs to protect himself. Immediately take off contaminated clothing and rinse body with plenty of water.
- Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician immediately.
- Skin contact : Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Call a physician immediately.
- Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Protect unharmed eye. Call a physician immediately.
- Ingestion : Rinse mouth with water. Do NOT induce vomiting. Call a physician immediately.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry powder
- Specific hazards during firefighting : The product is not flammable.
Contact with metals liberates hydrogen gas.
Fire may cause evolution of:
Sodium oxides
- Special protective equipment : Wear self-contained breathing apparatus and protective suit.

F38210 0,1M Sodium hydroxide FIX1,00SA

00000021767

Version 1.0

Revision Date 12/08/2016

Print Date 05/22/2019

for firefighters

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
The product itself does not burn.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Wear personal protective equipment. Unprotected persons must be kept away.
Evacuate personnel to safe areas.
Keep people away from and upwind of spill/leak.
Provide adequate ventilation.
Do not get in eyes, on skin, or on clothing.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
Do not flush into surface water or sanitary sewer system.
- Methods for cleaning up : Soak up with inert absorbent material.
Sweep up and shovel into suitable containers for disposal.
Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE**Handling**

- Handling : Wear personal protective equipment.
Use only in well-ventilated areas.
Use only alkali-proof equipment.
When diluting, always add the product to water. Never add water to the product.
Do not get in eyes, on skin, or on clothing.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

- Requirements for storage areas and containers : Store in original container.
Keep containers tightly closed in a dry, cool and well-ventilated place.

F38210 0,1M Sodium hydroxide FIX1,00SA

00000021767

Version 1.0

Revision Date 12/08/2016

Print Date 05/22/2019

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.
Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment.
Do not breathe vapours or spray mist.
Do not get in eyes, on skin, or on clothing.
- Engineering measures : Use with local exhaust ventilation.
- Eye protection : Safety goggles
Face-shield
- Hand protection : Impervious gloves
Gloves must be inspected prior to use.
Replace when worn.
- Skin and body protection : Wear suitable protective equipment.
Wear as appropriate:
Protective suit
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
- Hygiene measures : Take off all contaminated clothing immediately.
Remove and wash contaminated clothing before re-use.
Keep working clothes separately.
Wash hands before breaks and immediately after handling the product.
When using do not eat or drink.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis
Sodium hydroxide	1310-73-2	Ceiling : Ceiling Limit Value:	2 mg/m ³	2008	ACGIH:US. ACGIH Threshold Limit Values
Sodium hydroxide	1310-73-2	Ceil_Tim e : Ceiling Limit Value and Time Period (if specified) :	2 mg/m ³	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards

SAFETY DATA SHEET



F38210 0,1M Sodium hydroxide FIX1,00SA

00000021767

Version 1.0

Revision Date 12/08/2016

Print Date 05/22/2019

Sodium hydroxide	1310-73-2	PEL : Permissible exposure limit	2 mg/m3	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
------------------	-----------	-------------------------------------	---------	------------	--

Sodium hydroxide	1310-73-2	Ceiling : Ceiling Limit Value:	2 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
------------------	-----------	-----------------------------------	---------	------	---

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: colourless
Odor	: odourless
pH	: Note: alkaline
Melting point/range	: -10 - 14 °C
Boiling point/boiling range	: ca. 100 °C
Flash point	: Note: Not applicable
Lower explosion limit	: Note: Not applicable
Upper explosion limit	: Note: Not applicable
Density	: ca. 1.07 g/cm ³ at 20 °C
Water solubility	: Note: completely miscible

F38210 0,1M Sodium hydroxide FIX1,00SA**00000021767**

Version 1.0

Revision Date 12/08/2016

Print Date 05/22/2019

Ignition temperature : Note: Not applicable

Decomposition temperature : Note: No decomposition if used as directed.

Molecular weight : 40.0 g/mol

Corrosivity : Note: Corrosive to metals

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Possible incompatibility with alkali sensitive materials.
With acid and aluminium.
Corrosive in contact with metals

Conditions to avoid : Protect from moisture.

Incompatible materials to avoid : Zinc
Tin
Aluminium
Gives off hydrogen by reaction with metals.
Exothermic reaction with strong acids.
On dilution or dissolving in water, considerable heating always occurs.

Hazardous decomposition products : Sodium oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : Note: Toxicity is determined by the corrosivity of the product.

Acute inhalation toxicity : Note: Toxicity is determined by the corrosivity of the product.

Acute dermal toxicity : Note: Toxicity is determined by the corrosivity of the product.

F38210 0,1M Sodium hydroxide FIX1,00SA

00000021767

Version 1.0

Revision Date 12/08/2016

Print Date 05/22/2019

Skin irritation	: Note: Classification based on Annex VI of regulation 1272/2008/EC.
Eye irritation	: Note: Classification based on Annex VI of regulation 1272/2008/EC.
Sensitisation	: Species: human Result: non-sensitizing Test substance: anhydrous substance
Repeated dose toxicity	: Note: no data available
Genotoxicity in vitro	: Note: no data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

Toxicity to fish	: Note: no data available
Toxicity to daphnia and other aquatic invertebrates	: EC50: 40.4 mg/l Exposure time: 48 h Species: Ceriodaphnia spec Test substance: anhydrous substance
Toxicity to algae	: Note: no data available

Elimination information (persistence and degradability)

Biodegradability	: Note: The methods for determining biodegradability are not applicable to inorganic substances.
------------------	--

Further information on ecology**SECTION 13. DISPOSAL CONSIDERATIONS**

SAFETY DATA SHEET



F38210 0,1M Sodium hydroxide FIX1,00SA

00000021767

Version 1.0

Revision Date 12/08/2016

Print Date 05/22/2019

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

SECTION 14. TRANSPORT INFORMATION

DOT UN/ID No. : UN 1824
Proper shipping name : SODIUM HYDROXIDE SOLUTION
Class : 8
Packing group : II
Hazard Labels : 8

IATA UN/ID No. : UN 1824
Description of the goods : SODIUM HYDROXIDE SOLUTION
Class : 8
Packaging group : II
Hazard Labels : 8
Packing instruction (cargo aircraft) : 855
Packing instruction (passenger aircraft) : 851
Packing instruction (passenger aircraft) : Y840

IMDG UN/ID No. : UN 1824
Description of the goods : SODIUM HYDROXIDE SOLUTION
Class : 8
Packaging group : II
Hazard Labels : 8
EmS Number : F-A, S-B
Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

Inventories

US. Toxic Substances Control Act : On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act : On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic : All components of this product are on the Canadian DSL

F38210 0,1M Sodium hydroxide FIX1,00SA

00000021767

Version 1.0

Revision Date 12/08/2016

Print Date 05/22/2019

Substances List (DSL)

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Toxic Chemical Control Law (TCCL) List : On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act : On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances : On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand : On the inventory, or in compliance with the inventory

National regulatory information**SARA 302 Components** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.**SARA 313 Components** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.**SARA 311/312 Hazards** : Acute Health Hazard**California Prop. 65** : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.**Massachusetts RTK** : Sodium hydroxide 1310-73-2**New Jersey RTK** : Sodium hydroxide 1310-73-2**Pennsylvania RTK** : Sodium hydroxide 1310-73-2

F38210 0,1M Sodium hydroxide FIX1,00SA

00000021767

Version 1.0

Revision Date 12/08/2016

Print Date 05/22/2019

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 3*	3
Flammability	: 0	0
Physical Hazard	: 1	
Instability	:	1

* - Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group