

## Sulfuric acid concentrate

38291-1EA

Version 1.3 Revision Date 02/02/2024 Print Date 02/03/2024

**SECTION 1. IDENTIFICATION** 

Product name : Sulfuric acid concentrate

Number : 000000021137

Product Use Description : Laboratory chemicals

Manufacturer or supplier's

details

Honeywell International Inc. 1953 South Harvey Street

Muskegon, MI 49442 For more information call : 1-800-368-0050

+1-231-726-3171(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or

+1-703-527-3887

:

: (24 hours/day, 7 days/week)

#### **SECTION 2. HAZARDS IDENTIFICATION**

**Emergency Overview** 

Form : liquid

Color : colourless

Odor : odourless

Classification of the substance or mixture

Classification of the substance : Corrosive to metals, Category 1

or mixture Skin corrosion, Category 1A

Serious eye damage, Category 1

GHS Label elements, including precautionary statements

Page 1 / 15



# Sulfuric acid concentrate

#### 38291-1EA

Version 1.3 Revision Date 02/02/2024 Print Date 02/03/2024

Symbol(s)

Signal word : Danger

Hazard statements : May be corrosive to metals.

Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:** 

Keep only in original container. Wash skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face

protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/ doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Storage:

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Carcinogenicity

NTP: Sulfuric Acid 7664-93-9

Known carcinogen



## Sulfuric acid concentrate

38291-1EA

Version 1.3 Revision Date 02/02/2024 Print Date 02/03/2024

IARC: Sulfuric Acid 7664-93-9

Group 1: Carcinogenic to humans

Group 1: Carcinogenic to humans

ACGIH: Sulfuric Acid 7664-93-9

A2: Suspected human carcinogen

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Formula : H2SO4

Chemical nature : Mixture

| Chemical name | CAS-No.   | Concentration      |
|---------------|-----------|--------------------|
| Water         | 7732-18-5 | >=50.00 - <75.00 % |
| Sulfuric Acid | 7664-93-9 | >=25.00 - <50.00 % |

#### **SECTION 4. FIRST AID MEASURES**

General advice : First aider needs to protect himself. Move out of dangerous

area. Immediately take off contaminated clothing and rinse body

with plenty of water.

Inhalation : Remove to fresh air. If breathing is difficult, give oxygen. Use

oxygen as required, provided a qualified operator is present.

Call a physician immediately.

Skin contact : Wash off immediately with plenty of water for at least 15

minutes. Take off contaminated clothing and shoes immediately. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. Call a

physician immediately.

Eye contact : Protect unharmed eye. Irrigate eyes for at least 15 minutes with

copious quantities of water, keeping eyelids apart and away

Page 3 / 15



# Sulfuric acid concentrate

38291-1EA

Version 1.3 Revision Date 02/02/2024 Print Date 02/03/2024

> from eyeballs during irrigation. Small amounts splashed into eyes can cause irreversible tissue damage and blindness. Call a

physician immediately.

Ingestion Clean mouth with water and drink afterwards plenty of water.

> Magnesium hydroxide (milk of Magnesia) as an antacid may be given. Do NOT induce vomiting. Call a physician immediately.

Notes to physician

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and

special treatment needed, if

necessary

: No information available.

: Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

: Water

Do NOT use water jet.

Contact with a relatively small quantity of water creates violent

reaction generating much heat and spattering of hot acid

Specific hazards during

firefighting

: Reacts violently with water.

Contact with combustible material may cause fire.

In case of a spillage, the resulting acid solution may attack many metals with liberation of hydrogen which is flammable

and forms explosive mixture with air

In case of fire hazardous decomposition products may be

produced such as: Sulphur oxides

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus and protective suit.

No unprotected exposed skin areas.

Further information : The product itself does not burn.

Collect contaminated fire extinguishing water separately. This

Page 4 / 15



#### Sulfuric acid concentrate

38291-1EA

Version 1.3 Revision Date 02/02/2024 Print Date 02/03/2024

must not be discharged into drains.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Evacuate personnel to safe areas.

Wear personal protective equipment. Unprotected persons

must be kept away.

Keep people away from and upwind of spill/leak.

Ensure adequate ventilation.

Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on clothing.

**Environmental precautions** 

Do not flush into surface water or sanitary sewer system.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Should not be released into the environment.

Methods and materials for containment and cleaning

Ventilate the area.

Dilute with water.

Neutralise with the following product(s):

lime

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national

regulations (see section 13).

Never neutralise with the following products:

soda ash

### **SECTION 7. HANDLING AND STORAGE**

#### Handling

up

Precautions for safe

handling

Handle with extreme care.

Wear personal protective equipment. Use only in well-ventilated areas. Use only acid resistant equipment.

When diluting, always add the product to water. Never add water

to the product.

Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on clothing.

Page 5 / 15



### Sulfuric acid concentrate

38291-1EA

Version 1.3 Revision Date 02/02/2024 Print Date 02/03/2024

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

In case of a spillage, the resulting acid solution may attack many metals with liberation of hydrogen which is flammable and forms

explosive mixture with air

**Storage** 

Conditions for safe storage,

including any incompatibilities

Store in original container.

Keep containers tightly closed in a dry, cool and well-ventilated

place.

Storage rooms must be properly ventilated.

Keep in an area equipped with acid resistant flooring.

Store in upright position only.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment.

Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on clothing.

Engineering measures : Use with local exhaust ventilation.

Eye protection : Face-shield

Safety goggles

Hand protection : Impervious gloves

Gloves must be inspected prior to use.

Replace when worn.

Skin and body protection : Wear suitable protective equipment.

Wear as appropriate:

acid-resistant protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Hygiene measures : Separate rooms are required for washing, showering and

changing clothes.

Page 6 / 15



# Sulfuric acid concentrate

# 38291-1EA

Version 1.3 Revision Date 02/02/2024 Print Date 02/03/2024

Contaminated work clothing should not be allowed out of the workplace.

Keep working clothes separately.

Take off all contaminated clothing immediately.

Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

Avoid contact with the skin and the eyes.

**Exposure Guidelines** 

| Components          | CAS-No.            | Value  | Control parameters | Upda<br>te | Basis   |
|---------------------|--------------------|--|--------------------|------------|---|
| Sulfuric Acid       | 7664-93-9          | TWA :<br>Time<br>weighted<br>average         | 1 mg/m3            | 1989       | Z1A:US. OSHA<br>Table Z-1-A (29<br>CFR 1910.1000), as<br>amended  |
| Sulfuric Acid       | 7664-93-9          | PEL:<br>Permissi<br>ble<br>exposure<br>limit | 1 mg/m3            | 02<br>2006 | OSHA_TRANS:US.<br>OSHA Table Z-1<br>Limits for Air<br>Contaminants (29<br>CFR 1910.1000), as<br>amended |
| Sulfuric Acid       | 7664-93-9          | REL: Recomm ended exposure limit (REL):      | 1 mg/m3            | 2005       | NIOSH/GUIDE:US.<br>NIOSH: Pocket<br>Guide to Chemical<br>Hazards, as<br>amended                         |
| Sulfuric Acid       | 7664-93-9          | TWA :<br>Time<br>weighted<br>average         | 0.2 mg/m3          | 2008       | ACGIH:US. ACGIH<br>Threshold Limit<br>Values, as amended  |
| Further information | : Form of exposure | e : Thoracic f                               | raction.           |            |   |

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : liquid

Page 7 / 15



# Sulfuric acid concentrate

# 38291-1EA

Version 1.3 Revision Date 02/02/2024 Print Date 02/03/2024

Color : colourless

Odor : odourless

Odor threshold : Note: No data available

pH : Note: acidic

Melting point/range : Note: No data available

Boiling point/boiling range : > 100 °C at 1,013 hPa

Flash point : Note: Not applicable

Evaporation rate : Note: No data available

Flammability : Not applicable

Lower explosion limit : Note: Not applicable

Upper explosion limit : Note: Not applicable

Vapor pressure : Note: No data available

Vapor density : Note: No data available

Density : ca. 1.180 g/cm3 at 20 °C

Water solubility : Note: completely soluble

Partition coefficient: : Note: No data available

Page 8 / 15



## Sulfuric acid concentrate

# 38291-1EA

Version 1.3 Revision Date 02/02/2024 Print Date 02/03/2024

n-octanol/water

Ignition temperature : Note: No data available

Decomposition temperature : Note: No decomposition if used as directed.

Viscosity, dynamic : Note: No data available

Viscosity, kinematic : Note: No data available

Molecular weight : 98.08 g/mol

Corrosivity : Note: Corrosive to metals

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Hazardous polymerisation does not occur. Gives off hydrogen by reaction with metals.

Conditions to avoid : Protect from heat/overheating.

Incompatible materials : Bases

Reducing agents Organic materials

Copper Amines Alcohols Aldehydes Cyanides Sulphides Nitriles

Gives off hydrogen by reaction with metals.

Hazardous decomposition

products

: Sulphur oxides

Page 9 / 15



#### Sulfuric acid concentrate

38291-1EA

Version 1.3 Revision Date 02/02/2024 Print Date 02/03/2024

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Acute oral toxicity : Note: Toxicity is determined by the corrosivity of the product.

Acute inhalation toxicity : Note: Toxicity is determined by the corrosivity of the product.

Acute dermal toxicity : Note: Toxicity is determined by the corrosivity of the product.

Skin irritation : Note: Classification based on Annex VI of regulation

1272/2008/EC.

Eye irritation : Note: Classification based on Annex VI of regulation

1272/2008/EC.

Sensitisation : Note: No data available

Repeated dose toxicity

Sulfuric Acid : No data available

Genotoxicity in vitro : Note: Not classified due to data which are conclusive although

insufficient for classification.

Carcinogenicity

Sulfuric Acid : Note: An increased risk of cancer in humans has been shown in

work-place based studies. This hazard is related to exposure to the mist/vapor of the acid and not the acid solution. Please review IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Occupational Exposures to Mists and Vapours from Strong Inorganic Acids; and Other Industrial Chemicals, Vol. 54, 1992 and IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, A review of human carcinogens: Chemical Agents and Related

numan carcinogens. Chemical Agents and K

Occupations, Vol. 100F, 2012.



# Sulfuric acid concentrate

38291-1EA

Version 1.3 Revision Date 02/02/2024 Print Date 02/03/2024

Reproductive toxicity

Sulfuric Acid : Note: No data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** 

Toxicity to fish : static test

LC50: 16 - 28 mg/l Exposure time: 96 h

Species: Lepomis macrochirus (Bluegill sunfish)

Toxicity to daphnia and other : Immobilization

aquatic invertebrates

EC50: > 100 mg/l

Exposure time: 48 h

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

Toxicity to algae : Growth rate

EC50: > 100 mg/l Exposure time: 72 h

Species: Desmodesmus subspicatus (green algae)

Method: OECD Test Guideline 201

Elimination information (persistence and degradability)

Biodegradability : Note: The methods for determining biodegradability are not

applicable to inorganic substances.

Further information on ecology

Additional ecological

information

: Neutralisation will reduce ecotoxic effects.



## Sulfuric acid concentrate

# 38291-1EA

Version 1.3 Revision Date 02/02/2024 Print Date 02/03/2024

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : Observe all Federal, State, and Local Environmental

regulations.

#### **SECTION 14. TRANSPORT INFORMATION**

**DOT** UN/ID No. : UN 2796

Proper shipping name : Sulphuric acid

Class 8
Packing group II
Hazard Labels 8

**IATA** UN/ID No. : UN 2796

Description of the goods : Sulphuric acid

Class : 8
Packaging group : II
Hazard Labels : 8
Packing instruction (cargo : 855

aircraft)

Packing instruction : 851

(passenger aircraft)

Packing instruction : Y840

(passenger aircraft)

IMDG UN/ID No. : UN 2796

Description of the goods : Sulphuric acid

Class : 8
Packaging group : II
Hazard Labels : 8
EmS Number : F-A, S-B

Marine pollutant : no

IMDG Code segregation group (SGG1) - ACIDS,

### **SECTION 15. REGULATORY INFORMATION**

#### **Inventories**

US. Toxic Substances : On TSCA Inventory

Page 12 / 15



## Sulfuric acid concentrate

38291-1EA

Version 1.3 Revision Date 02/02/2024 Print Date 02/03/2024

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Control Act

Australia. Inventory of Industrial Chemicals (AIIC),

as amended

: On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic

Act (CEPA). Domestic Substances List (DSL) : All components of this product are on the Canadian DSL

Korea. Existing Chemicals

Inventory (KEČI)

·

: On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) : On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances

(IECSC)

: On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New

Zealand

: On the inventory, or in compliance with the inventory

Taiwan Chemical

Substance Inventory (TCSI)

: On the inventory, or in compliance with the inventory

#### **National regulatory information**

US. EPA CERCLA Hazardous Substances (40

CFR 302)

: The following component(s) of this product is/are subject to release reporting under 40 CFR 302 when release exceeds the

Reportable Quantity (RQ):

Reportable quantity: 1000 lbs

: Sulfuric Acid 7664-93-9

**SARA 302 Components** 

: The following components are subject to reporting levels

established by SARA Title III, Section 302: : Sulfuric Acid 7664-93-9

Page 13 / 15



## Sulfuric acid concentrate

# 38291-1EA

Version 1.3 Revision Date 02/02/2024 Print Date 02/03/2024

SARA 313 Components : The following components are subject to reporting levels

established by SARA Title III, Section 313:

: Sulfuric Acid 7664-93-9

SARA 311/312 Hazards : Acute Health Hazard

Chronic Health Hazard

**CERCLA Reportable** 

Quantity

: 4000 lbs

California Prop. 65

**WARNING:**This product can expose you to chemicals, listed below, known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Sulfuric Acid 7664-93-9

Massachusetts RTK : Sulfuric Acid 7664-93-9

New Jersey RTK : Water 7732-18-5

Pennsylvania RTK : Sulfuric Acid 7664-93-9

#### **SECTION 16. OTHER INFORMATION**

|                 | HMIS III | NFPA |
|-----------------|----------|------|
| Health hazard   | : 3*     | 3    |
| Flammability    | : 0      | 0    |
| Physical Hazard | : 2      |      |
| Instability     | :        | 2    |
| Special hazard  | :        | W    |

<sup>\* -</sup> Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

#### **Further information**



## Sulfuric acid concentrate

38291-1EA

Version 1.3 Revision Date 02/02/2024 Print Date 02/03/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 08/21/2018

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group