

F38311 0,5M Silver nitrate FIX 1,00SA

00000021833

Version 1.1

Revision Date 03/26/2017

Print Date 05/22/2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Silver nitrate concentrate

Number : 00000021833

Product Use Description : Laboratory chemicals

Manufacturer or supplier's details : Honeywell International Inc.
1953 South Harvey Street
Muskegon, MI 49442

For more information call : 1-800-368-0050
+1-231-726-3171
(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414
: Transportation (CHEMTREC): 1-800-424-9300 or
+1-703-527-3887
:
: (24 hours/day, 7 days/week)

SECTION 2. HAZARDS IDENTIFICATION**Emergency Overview**

Form : liquid

Color : colourless

Odor : odourless

Classification of the substance or mixture

Classification of the substance or mixture : Corrosive to metals, Category 1
Skin corrosion, Category 1B
Serious eye damage, Category 1

GHS Label elements, including precautionary statements

F38311 0,5M Silver nitrate FIX 1,00SA

00000021833

Version 1.1

Revision Date 03/26/2017

Print Date 05/22/2019

Symbol(s)

:



Signal word

: Danger

Hazard statements

: May be corrosive to metals.
Causes severe skin burns and eye damage.

Precautionary statements

: **Prevention:**
Keep only in original container.
Do not breathe dust or mist.
Wash skin thoroughly after handling.
Wear protective gloves/ protective clothing/ eye protection/ face protection.**Response:**

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see supplemental first aid instructions on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Storage:

Store locked up.

Store in corrosive resistant stainless steel container with a resistant inner liner.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

F38311 0,5M Silver nitrate FIX 1,00SA

00000021833

Version 1.1

Revision Date 03/26/2017

Print Date 05/22/2019

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTSFormula : AgNO₃

Chemical nature : Mixture

Chemical name	CAS-No.	Concentration
Water	7732-18-5	>=50.00 - <75.00 %
Silver nitrate	7761-88-8	>=25.00 - <50.00 %

SECTION 4. FIRST AID MEASURES

- General advice : First aider needs to protect himself. Move out of dangerous area. Immediately take off contaminated clothing and rinse body with plenty of water.
- Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician.
- Skin contact : Wash off immediately with plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
- Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Protect unharmed eye. Call a physician immediately.
- Ingestion : Do not induce vomiting. If conscious, give 2 glasses of water. Get immediate medical attention.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry powder

F38311 0,5M Silver nitrate FIX 1,00SA

00000021833

Version 1.1

Revision Date 03/26/2017

Print Date 05/22/2019

- Specific hazards during firefighting : The product itself does not burn.
Fire may cause evolution of:
metal oxides
nitrogen oxides
- Special protective equipment for firefighters : Wear self-contained breathing apparatus and protective suit.
No unprotected exposed skin areas.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions : Evacuate personnel to safe areas.
Wear personal protective equipment. Unprotected persons must be kept away.
Provide adequate ventilation.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.
Should not be released into the environment.
- Methods for cleaning up : Use mechanical handling equipment.
Soak up with inert absorbent material.
Sweep up and shovel into suitable containers for disposal.
Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE**Handling**

- Handling : Wear personal protective equipment.
Use only in well-ventilated areas.
Do not breathe vapours or spray mist.
Do not get in eyes, on skin, or on clothing.
- Advice on protection against fire and explosion : The product itself does not burn.
Normal measures for preventive fire protection.

Storage

- Requirements for storage areas and containers : Store in original container.
Keep containers tightly closed in a dry, cool and well-ventilated

F38311 0,5M Silver nitrate FIX 1,00SA

00000021833

Version 1.1

Revision Date 03/26/2017

Print Date 05/22/2019

place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- Protective measures : Ensure that eyewash stations and safety showers are close to the workstation location.
Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment.
Do not breathe vapours or spray mist.
Do not get in eyes, on skin, or on clothing.
- Engineering measures : Use with local exhaust ventilation.
- Eye protection : Safety goggles
- Hand protection : Latex gloves
Gloves must be inspected prior to use.
Replace when worn.
- Skin and body protection : Wear suitable protective equipment.
Wear as appropriate:
Protective suit
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
- Hygiene measures : Take off all contaminated clothing immediately.
Remove and wash contaminated clothing before re-use.
Keep working clothes separately.
When using do not eat or drink.
Wash hands before breaks and at the end of workday.

Exposure Guidelines

Components	CAS-No.	Value	Control parameters	Update	Basis
Silver nitrate	7761-88-8	TWA : Time weighted average	0.01 mg/m ³	2008	ACGIH:US. ACGIH Threshold Limit Values
Further information	:	Expressed as : as Ag			

SAFETY DATA SHEET



F38311 0,5M Silver nitrate FIX 1,00SA

00000021833

Version 1.1

Revision Date 03/26/2017

Print Date 05/22/2019

Silver nitrate	7761-88-8	REL : Recomm ended exposure limit (REL):	0.01 mg/m3	2010	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
Further information	:	Form of exposure : Dust. Expressed as : as Ag			

Silver nitrate	7761-88-8	PEL : Permissi ble exposure limit	0.01 mg/m3	02 2006	OSHA_TRANS:US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
Further information	:	Expressed as : as Ag			

Silver nitrate	7761-88-8	TWA : Time weighted average	0.01 mg/m3	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
Further information	:	Expressed as : as Ag			

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : colourless

Odor : odourless

pH : Note: no data available

Melting point/range : Note: no data available

Boiling point/boiling range : > 100 °C

Flash point : Note: Not applicable

F38311 0,5M Silver nitrate FIX 1,00SA

00000021833

Version 1.1

Revision Date 03/26/2017

Print Date 05/22/2019

Lower explosion limit	: Note: Not applicable
Upper explosion limit	: Note: Not applicable
Density	: Note: no data available
Water solubility	: Note: soluble
Partition coefficient: n-octanol/water	: Note: no data available
Ignition temperature	: Note: Not applicable
Decomposition temperature	: Note: No decomposition if used as directed.
Molecular weight	: 169.87 g/mol
Corrosivity	: Note: Corrosive to metals

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Hazardous polymerisation does not occur. Corrosive in contact with metals
Conditions to avoid	: Protect from heat/overheating. Exposure to light.
Incompatible materials to avoid	: Corrosive in contact with metals
Hazardous decomposition products	: nitrogen oxides metal oxides

F38311 0,5M Silver nitrate FIX 1,00SA

00000021833

Version 1.1

Revision Date 03/26/2017

Print Date 05/22/2019

SECTION 11. TOXICOLOGICAL INFORMATION

- Acute oral toxicity : LD50: > 5,110 mg/kg
Species: Rat
Method: OECD Test Guideline 401
Test substance: anhydrous substance
- Acute inhalation toxicity : Note: no data available
- Acute dermal toxicity : LD50: > 2,000 mg/kg
Species: Rat
Method: OECD Test Guideline 402
Test substance: anhydrous substance
- Skin irritation : Species: reconstructed human epidermis (RhE)
Result: Causes burns.
Method: OECD Test Guideline 431
Test substance: anhydrous substance
- Sensitisation : Note: no data available
- Genotoxicity in vitro : Cell type: mouse lymphoma cells
Metabolic activation: with metabolic activation
Result: negative
Method: OECD Test Guideline 476
Test substance: anhydrous substance
- : Cell type: mouse lymphoma cells
Metabolic activation: without metabolic activation
Result: positive
Method: OECD Test Guideline 476
Test substance: anhydrous substance

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity effects**

F38311 0,5M Silver nitrate FIX 1,00SA

00000021833

Version 1.1

Revision Date 03/26/2017

Print Date 05/22/2019

Toxicity to fish : semi-static test
LC50: 1.2 µg/l
Exposure time: 96 h
Species: Pimephales promelas (fathead minnow)
Test substance: anhydrous substance

: flow-through test
EC10: 0.17 µg/l
Exposure time: 196 d
Species: Oncorhynchus mykiss (rainbow trout)
Test substance: anhydrous substance

Toxicity to daphnia and other aquatic invertebrates : semi-static test
LC50: 0.22 µg/l
Exposure time: 48 h
Species: Daphnia magna (Water flea)
Test substance: anhydrous substance

Toxicity to algae : flow-through test
EC10: 0.54 µg/l
Exposure time: 24 h
Species: Chlamydomonas reinhardtii
Test substance: anhydrous substance

Toxicity to bacteria : static test
NOEC: 0.025 mg/l
Exposure time: 13.3 min
Species: Bacteria
Test substance: anhydrous substance

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : semi-static test
EC10: 6.48 µg/l
Exposure time: 7 d
Species: Ceriodaphnia dubia (water flea)
Test substance: anhydrous substance

Elimination information (persistence and degradability)

Biodegradability : Note: The methods for determining biodegradability are not applicable to inorganic substances.

Further information on ecology

Additional ecological information : Do not flush into surface water or sanitary sewer system.

F38311 0,5M Silver nitrate FIX 1,00SA

00000021833

Version 1.1

Revision Date 03/26/2017

Print Date 05/22/2019

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods : Observe all Federal, State, and Local Environmental regulations.

SECTION 14. TRANSPORT INFORMATION

DOT UN/ID No. : UN 3264
 Proper shipping name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
 (silver nitrate, Solution)
 Class : 8
 Packing group : II
 Hazard Labels : 8

IATA UN/ID No. : UN 3264
 Description of the goods : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
 (silver nitrate, Solution)
 Class : 8
 Packaging group : II
 Hazard Labels : 8
 Packing instruction (cargo aircraft) : 855
 Packing instruction (passenger aircraft) : 851
 Packing instruction (passenger aircraft) : Y840

IMDG UN/ID No. : UN 3264
 Description of the goods : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
 (SILVER NITRATE, SOLUTION)
 Class : 8
 Packaging group : II
 Hazard Labels : 8
 EmS Number : F-A, S-B
 Marine pollutant : yes
 IMDG Code segregation group 1 – ACIDS,

SECTION 15. REGULATORY INFORMATION**Inventories**

SAFETY DATA SHEET



F38311 0,5M Silver nitrate FIX 1,00SA

00000021833

Version 1.1

Revision Date 03/26/2017

Print Date 05/22/2019

US. Toxic Substances Control Act : On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act : On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) : All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Toxic Chemical Control Law (TCCL) List : On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act : On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances : On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand : On the inventory, or in compliance with the inventory

National regulatory information

US. EPA CERCLA Hazardous Substances (40 CFR 302) : The following component(s) of this product is/are subject to release reporting under 40 CFR 302 when release exceeds the Reportable Quantity (RQ):

Reportable quantity: 1 lbs
: Silver nitrate 7761-88-8

SARA 302 Components : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components : The following components are subject to reporting levels established by SARA Title III, Section 313:
: Silver nitrate 7761-88-8

SARA 311/312 Hazards : Acute Health Hazard

SAFETY DATA SHEET



F38311 0,5M Silver nitrate FIX 1,00SA

00000021833

Version 1.1

Revision Date 03/26/2017

Print Date 05/22/2019

CERCLA Reportable Quantity : 3 lbs

California Prop. 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Massachusetts RTK : Silver nitrate 7761-88-8

New Jersey RTK : Silver nitrate 7761-88-8

Pennsylvania RTK : Silver nitrate 7761-88-8

SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 3	3
Flammability	: 0	0
Physical Hazard	: 0	
Instability	:	0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 01/26/2017

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group