according to Regulation (EC) No. 1907/2006



# **Formamide**

47670-250ML

Version 1.5 Revision Date 21.04.2021

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Formamide

SDS-number : 000000020419

Type of product : Substance

Remarks : SDS according to Art. 31 of Regulation (EC) 1907/2006.

In accordance to the Article 14 (1) of the REACh Regulation

(EC) No 1907/2006, exposure estimation and risk

characterisation is not required.

Chemical name : formamide

Index-No. : 616-052-00-8

REACH Registration

Number

: no data available

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the : Laboratory chemicals

Substance/Mixture

Uses advised against : none

# 1.3. Details of the supplier of the safety data sheet

Company : Honeywell Specialty Honeywell International, Inc.

Chemicals Seelze 115 Tabor Road

GmbH Morris Plains, NJ 07950-2546

Wunstorfer Straße 40 USA

30926 Seelze Germany (49) 5137-999 0

Telephone : (49) 5137-999 (

For further information, : PMTEU Product Stewardship: please contact: SafetyDataSheet@Honeywell.com

# 1.4. Emergency telephone number

Emergency telephone : +1-703-527-3887 (ChemTrec-Transport)

number +1-303-389-1414 (Medical)

Page 1 / 17

according to Regulation (EC) No. 1907/2006



#### **Formamide**

47670-250ML

Version 1.5 Revision Date 21.04.2021

Country based Poison

**Control Center** 

see chapter 15.1

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **REGULATION (EC) No 1272/2008**

Carcinogenicity Category 2

H351 Suspected of causing cancer.

Reproductive toxicity Category 1B

H360D May damage the unborn child.

Specific target organ toxicity - repeated exposure Category 2

H373 May cause damage to organs through prolonged or repeated exposure.

#### 2.2. Label elements

#### REGULATION (EC) No 1272/2008

Hazard pictograms

Signal word : Danger

Hazard statements : H351 Suspected of causing cancer.

H360D May damage the unborn child.

H373 May cause damage to organs through

prolonged or repeated exposure.

Precautionary statements : P260 Do not breathe dust/ fume/ gas/ mist/

vapours/ spray.

P280 Wear protective gloves/protective

clothing/eye protection/face protection.

P308 + P313 IF exposed or concerned: Get medical

advice/ attention.

Special labelling of certain

products:

: Restricted to professional users.

# 2.3. Other hazards

Can be absorbed through skin. Results of PBT and vPvB assessment, see chapter 12.5.

Page 2 / 17

according to Regulation (EC) No. 1907/2006



# **Formamide**

47670-250ML

Version 1.5

Revision Date 21.04.2021

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
formamide	75-12-7 616-052-00-8 200-842-0	Carc. 2; H351 Repr. 1B; H360D STOT RE 2; H373	100 %	

#### 3.2. Mixture

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately.

Inhalation:

When inhaled remove to fresh air and seek medical aid.

Skin contact:

After contact with skin, wash immediately with plenty of soap and water.

Eye contact:

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Ingestion:

When swallowed, allow water to be drunk. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Page 3 / 17

according to Regulation (EC) No. 1907/2006



#### **Formamide**

47670-250ML

Version 1.5

Revision Date 21.04.2021

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media:

Water spray

Foam

Carbon dioxide (CO2)

Dry powder

Extinguishing media which shall not be used for safety reasons:

High volume water jet

#### 5.2. Special hazards arising from the substance or mixture

Fire may cause evolution of:

Hydrogen cyanide (hydrocyanic acid)

Carbon oxides

#### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Wear personal protective equipment. Unprotected persons must be kept away. Provide adequate ventilation.

#### 6.2. Environmental precautions

Do not let product enter drains. Suppress (knock down) gases/vapours/mists with a water spray jet.

according to Regulation (EC) No. 1907/2006



# **Formamide**

47670-250ML

Version 1.5

Revision Date 21.04.2021

# 6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Pick for disposal in tightly closed containers

#### 6.4. Reference to other sections

For personal protection see section 8.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling:

Exhaust ventilation at the object is necessary.

Advice on protection against fire and explosion:

Normal measures for preventive fire protection.

#### Hygiene measures:

Take off all contaminated clothing immediately. Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of workday.

# 7.3. Specific end use(s)

no additional data available

according to Regulation (EC) No. 1907/2006



# **Formamide**

47670-250ML

Version 1.5

Revision Date 21.04.2021

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# Occupational exposure limits:

Components	Basis / Value type	Value / Form of exposure	Exceeding Factor	Remarks
formamide	EH40 WEL STEL	56 mg/m3 30 ppm		
formamide	EH40 WEL TWA	37 mg/m3 20 ppm		
formamide	EH40 WEL			Listed

STEL - Short term exposure limit TWA - Time weighted average

# **DNEL/ PNEC-Values**

Component	End- use/impact	Exposure duration	Value	Exposure routes	Remarks
formamide	Workers / Long-term systemic effects		0,66 mg/m3	Inhalation	
formamide	Workers / Long-term local effects		6,66 mg/m3	Inhalation	
formamide	Workers / Long-term systemic effects		0,952mg/kg bw/d	Skin contact	

Component	Environmental compartment / Value	Remarks
formamide	Fresh water: 0,5 mg/l	Assessment factor: 1000
formamide	Marine water: 0,5 mg/l	Assessment factor: 1000
formamide	Sewage treatment plant: 100 mg/l	Assessment factor:

according to Regulation (EC) No. 1907/2006



# Formamide 47670-250ML Version 1.5 Revision Date 21.04.2021

		10
formamide	Fresh water sediment: 1,26 mg/kg dw	
formamide	Soil: 0,151 mg/kg dw	

#### 8.2. Exposure controls

#### Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Avoid exposure - obtain special instructions before use.

#### **Engineering measures**

Use with local exhaust ventilation.

#### Personal protective equipment

Respiratory protection:

In the case of vapour formation use a respirator with an approved filter.

Hand protection:

Glove material: Natural Latex Break through time: 480 min Glove thickness: 0,6 mm

Lapren®706

Gloves must be inspected prior to use.

Replace when worn.

Remarks: Supplementary note: The specifications are based on information and tests from similar substances by analogy.

Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.

Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer recomends to use the chemical protective glove in practice not longer than 50% of the recomended permeation time.

Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety goggles

Skin and body protection:

Protective suit

according to Regulation (EC) No. 1907/2006



# **Formamide**

47670-250ML

Version 1.5 Revision Date 21.04.2021

# **Environmental exposure controls**

Handle in accordance with local environmental regulations and good industrial practices.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : liquid

Colour : colourless

Odour : weak

molecular weight : 45,04 g/mol

Melting point/range : 1 - 3 °C

Boiling point/boiling range : 210 °C

at 1.013 hPa

Upper explosion limit : 19 %(V)

Lower explosion limit : 2,7 %(V)

Flash point : 175 °C

Method: DIN 51584

Auto-ignition temperature : 500 °C

Decomposition temperature : 180 °C

pH : 4,0 - 5,0

at 20 °C

Viscosity, kinematic : No data available

Water solubility : completely miscible

Solubility in other solvents : Soluble in most organic solvents

Partition coefficient: n-

octanol/water

: log Pow -0,82

at: 25 °C

Vapour pressure : 1 hPa

Page 8 / 17

according to Regulation (EC) No. 1907/2006



# **Formamide**

47670-250ML

Version 1.5 Revision Date 21.04.2021

at 50 °C

Vapour pressure : 0,08 hPa

at 20 °C

Density : ca. 1,133 g/cm3

at 20 °C

9.2 Other Information

Evaporation rate : No data available

Viscosity, dynamic : 3,75 mPa.s

at 20 °C

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Stable under normal conditions.

# 10.2. Chemical stability

>180 °C

Decomposition temperature

# 10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

#### 10.4. Conditions to avoid

No data available

# 10.5. Incompatible materials

Incompatible with oxidizing agents.

## 10.6. Hazardous decomposition products

Carbon oxides

Hydrogen cyanide (hydrocyanic acid)

Page 9 / 17

according to Regulation (EC) No. 1907/2006



# **Formamide**

47670-250ML

Version 1.5

Revision Date 21.04.2021

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute oral toxicity:

LD50

Species: Rat

Value: 3.200 mg/kg

Acute dermal toxicity:

LD50

Species: Rat

Value: > 17.000 mg/kg

Acute inhalation toxicity:

LC50

Species: Rat Value: > 7,3 mg/l Exposure time: 6 h

Skin irritation: Species: Rabbit

Classification: non-irritant

Eye irritation: Species: Rabbit

Classification: non-irritant

Respiratory or skin sensitisation:

Species: Guinea pig

Classification: non-sensitizing

Repeated dose toxicity:

Species: Rat, male and female

Application Route: Oral Exposure time: 90 d NOAEL: 40 - 80 mg/kg

Method: OECD Test Guideline 408

Species: Rat, male

Application Route: Inhalation

Exposure time: 14 d NOAEL: 0,19 mg/l

Method: OECD Test Guideline 412

Species: Rat, male and female

Page 10 / 17

according to Regulation (EC) No. 1907/2006



# **Formamide**

47670-250ML

Version 1.5

Revision Date 21.04.2021

Application Route: Dermal Exposure time: 90 d LOAEL: 300 mg/kg

Method: OECD Test Guideline 411

Carcinogenicity:

Species: Rat, male and female

Application Route: Oral

Method: OECD Test Guideline 451

Result: negative

:

Species: Mouse, male and female

Application Route: Oral

Method: OECD Test Guideline 451

Result : positive Germ cell mutagenicity:

Test Method: In vitro mammalian cell gene mutation test

Cell type: mammalian cells

Metabolic activation: without metabolic activation

Result: positive

Cell type: mammalian cells

Metabolic activation: without metabolic activation

Result: negative

Test Method: reverse mutation assay Cell type: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Method: OECD Test Guideline 471

Test Method: reverse mutation assay

Cell type: Escherichia coli

Metabolic activation: with and without metabolic activation

Result: negative

Method: OECD Test Guideline 471

Test Method: dominant lethal test

Species: Mouse, male

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 478

Result: negative

Test Method: Micronucleus test Species: Mouse, male and female

Page 11 / 17

according to Regulation (EC) No. 1907/2006



# **Formamide**

47670-250ML

Version 1.5

Revision Date 21.04.2021

Cell type: Micronucleus Application Route: Oral

Method: OECD Test Guideline 474

Result: negative

Test Method: Micronucleus test

Species: Mouse, male Cell type: Bone marrow

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: positive

Species: Drosophila melanogaster (vinegar fly), male

Application Route: Oral

Method: OECD Test Guideline 477

Result: negative

Reproductive toxicity:

Test Type: Two-generation study Species: Mouse - male and female

Route of Application: Oral

Symptoms / Adverse Effects: Effects on fertility

Method: OECD Test Guideline 414

Species: Rat

Route of Application: Oral

Symptoms / Adverse Effects: Reduced body weight

Aspiration hazard: No data available

#### 11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information:

May cause birth defects.

No experimental information on genotoxicity in vitro available.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Toxicity to fish:

LC50

Species: Leuciscus idus (Golden orfe)

Value: > 4.600 mg/l

Page 12 / 17

according to Regulation (EC) No. 1907/2006



# **Formamide**

47670-250ML

Version 1.5

Revision Date 21.04.2021

Exposure time: 96 h

LC50

Species: Brachydanio rerio (zebrafish)

Value: 9.135 mg/l Exposure time: 96 h

Toxicity to aquatic plants:

LC50

Species: Desmodesmus subspicatus (green algae)

Value: > 500 mg/l Exposure time: 72 h

Toxicity to Microorganisms:

LC50

Species: Pseudomonas putida

Value: > 10.000 mg/l Exposure time: 17 h

Toxicity to aquatic invertebrates:

LC50

Species: Daphnia magna (Water flea)

Value: > 500 mg/l Exposure time: 48 h

# 12.2. Persistence and degradability

Biodegradability:

Biodegradation: > 70 %

Result: Readily biodegradable.

#### 12.3. Bioaccumulative potential

No data available

#### 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Endocrine disrupting properties

Page 13 / 17

according to Regulation (EC) No. 1907/2006



#### **Formamide**

47670-250ML

Version 1.5

Revision Date 21.04.2021

No data available

#### 12.7. Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product:

Dispose according to legal requirements.

Packaging:

Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information:

Provisions relating to waste:

EC Directive 2006/12/EC; 2008/98/EEC

Regulation No. 1013/2006

For personal protection see section 8.

# **SECTION 14: Transport information**

## 14.1 UN number

ADR/RID:Not dangerous goods IMDG:Not dangerous goods IATA:Not dangerous goods

#### 14.2 UN proper shipping name

ADR/RID:Not dangerous goods IMDG:Not dangerous goods IATA:Not dangerous goods

#### 14.3 Transport hazard class(es)

# 14.4 Packaging group

#### 14.5 Environmental hazards

ADR/RID:no Marine pollutant: no

# 14.6 Special precautions for user

No data available

# 14.7 Maritime transport in bulk according to IMO instruments

according to Regulation (EC) No. 1907/2006



# **Formamide**

47670-250ML

Version 1.5

Revision Date 21.04.2021

No data available

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Substances of very high concern (SVHC)		This product does contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of ≥ 0.1 % (w/w).
Directive 2012/18/EC		Not applicable
Regulation (EC) No. 1907/2006, Annex XVII		This product contains an ingredient according to Annex XVII of the REACH Regulation1907/2006/EC.

# **Poison Control Center**

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+)35929154233
Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222

Country	Phone Number
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	808250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftinformation);+46104566786

according to Regulation (EC) No. 1907/2006



# **Formamide**

47670-250ML

Version 1.5

Revision Date 21.04.2021

Ireland	+353(1)8092166	
Italy	0382 24444	
	Berlin : 030/19240	
	Bonn : 0228/19240	
	Erfurt : 0361/730730	
Germany	Freiburg : 0761/19240	
Comany	Göttingen: 0551/19240	
	Homburg : 06841/19240	
	Mainz : 06131/19240	
	Munich : 089/19240	
Latvia	+37167042473	

Switzerland	145
United Kingdom	(+44) 844 892 0111

#### Other inventory information

US. Toxic Substances Control Act On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI)
On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

# 15.2 Chemical safety assessment

according to Regulation (EC) No. 1907/2006



## **Formamide**

47670-250ML

Version 1.5

Revision Date 21.04.2021

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

#### Text of H-statements referred to under heading 3

formamide : H351 Suspected of causing cancer.

H360D May damage the unborn child.

H373 May cause damage to organs through prolonged or

repeated exposure.

#### **Further information**

All directives and regulations refer to amended versions.

Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

#### Abbreviations:

EC European Community

CAS Chemical Abstracts Service

DNEL Derived no effect level

PNEC Predicted no effect level

vPvB Very persistent and very biaccumulative substance

PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.