

# N,N-Dimethylformamide

## 494488-1L

Version 1.4 Issuing date 12/07/2016 Revision Date 11/03/2017 Print Date 08/07/2019

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### **Product information**

Trade name N,N-Dimethylformamide

Number 000000020243

Recommended use of the

chemical and restrictions on use

Manufacturer or supplier's

details

Honeywell Specialty Chemicals Seelze

GmbH

Wunstorfer Straße 40 Seelze, 30926

Laboratory chemicals

For further information, 1-800-368-0050 please contact: +1-231-726-3171

(Monday-Friday, 9:00am-5:00pm)

In case of emergency call Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or +1-703-

527-3887

In Japan: +(81)-345209637 (24 hours/day, 7 days/week)

#### 2. HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

Classification of the : Flammable liquids, Category 3 Acute toxicity, Category 4, Inhalation substance or mixture

Eye irritation, Category 2A

Reproductive toxicity, Category 1B

#### GHS Label elements, including precautionary statements

Symbol(s)







Signal word : Danger

: Flammable liquid and vapour. Hazard statements

Causes serious eye irritation.



# N,N-Dimethylformamide

### 494488-1L

Version 1.4 Issuing date 12/07/2016 Revision Date 11/03/2017

Print Date 08/07/2019

Harmful if inhaled.

May damage fertility or the unborn child.

Precautionary statements

#### Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood.

Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/ protective clothing/ eye protection/ face

protection.

#### Response:

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention.

In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam for extinction.

# Storage:

Store in a well-ventilated place. Keep cool.

Store locked up.

# Disposal:

Dispose of contents/ container to an approved waste disposal plant.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C3H7NO

Chemical nature : Substance

CAS-No. Concentration Chemical name



Burdick & Jackson™

# N,N-Dimethylformamide

## 494488-1L

Version 1.4 Issuing date 12/07/2016 Revision Date 11/03/2017 Print Date 08/07/2019

N,N-Dimethylformamide N,N-Dimethylformamide 68-12-2 >=90.00 - <=100.00 %

### 4. FIRST AID MEASURES

General advice : First aider needs to protect himself.

Move out of dangerous area.

Take off all contaminated clothing immediately.

Inhalation : If breathed in, move person into fresh air.

Call a physician immediately.

Skin contact : After contact with skin, wash immediately with plenty of soap

and water.

Call a physician immediately.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Protect unharmed eye. Call a physician immediately.

Ingestion : When swallowed, allow water to be drunk.

Call a physician immediately.

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

: Do not use a solid water stream as it may scatter and spread

Specific hazards during

firefighting

: Flammable.

Vapours may form explosive mixtures with air.

Vapours are heavier than air and may spread along floors. Vapors may travel to areas away from work site before

igniting/flashing back to vapor source.

In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide Carbon dioxide (CO2) nitrogen oxides (NOx)

Dimethylamine

Special protective equipment

for firefighters

Wear self-contained breathing apparatus and protective suit.

No unprotected exposed skin areas.



# N,N-Dimethylformamide

### 494488-1L

Version 1.4 Issuing date 12/07/2016

Revision Date 11/03/2017

Print Date 08/07/2019

Exposure to decomposition products may be a hazard to

health.

Further information : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Cool containers/tanks with water spray.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.

Wear personal protective equipment. Unprotected persons

must be kept away.

Ensure adequate ventilation. Remove all sources of ignition.

Environmental precautions

: Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

Clean contaminated floors and objects thoroughly while

observing environmental regulations.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

: Ventilate the area.

Do not use sparking tools. Use explosion-proof equipment.

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)

and transfer to a container for disposal according to local /

national regulations (see section 13).

#### 7. HANDLING AND STORAGE

#### Handling

Precautions for safe handling : Wear personal protective equipment.

Use only in well-ventilated areas.

Advice on protection against

fire and explosion

Keep product and empty container away from heat and sources of

ignition.

No smoking.

Take precautionary measures against static discharges.

Vapours may form explosive mixtures with air.

Temperature class : T2

**Storage** 



# N,N-Dimethylformamide

## 494488-1L

Version 1.4 Issuing date 12/07/2016

Revision Date 11/03/2017

Print Date 08/07/2019

Conditions for safe storage,

including any incompatibilities

: Store in area designed for storage of flammable liquids.

Protect from physical damage.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Store in original container.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS- No.	Value	Control parameters	Update	Basis
N,N- Dimethylform amide N,N- Dimethylform amide	68-12-2	TL : Threshold limits	(10 ppm)	08 2006	ISHL:Industrial Safety and Health Law OEL
		TWA : Time weighted average	30 mg/m3 (10 ppm)	04 2007	Japan Society for Occupational Health:Japan Society for Occupational Health allowable concentration recommendatio n value
		SKIN_DES : Skin designation:	Can be absorbed through the skin.	04 2007	Japan Society for Occupational Health:Japan Society for Occupational Health allowable concentration recommendatio n value

## **Appropriate engineering controls**

Use with local exhaust ventilation.



# N,N-Dimethylformamide

## 494488-1L

Version 1.4 Issuing date 12/07/2016 Revision Date 11/03/2017 Print Date 08/07/2019

Prevent vapour buildup by providing adequate ventilation during and after use.

Individual protection measures, such as personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection : Impervious butyl rubber gloves

Gloves must be inspected prior to use.

Replace when worn.

Eye protection : Safety goggles

Skin and body protection : Impervious clothing

Hygiene measures : Take off all contaminated clothing immediately.

Keep working clothes separately.

Separate rooms are required for washing, showering and

changing clothes.

Recommended preventive skin protection

Protective measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Colour : colourless

Odour : weak

pH : 7.0 at , 20 °C

Melting point/range : -61 °C

Boiling point/boiling range : 152 - 153 °C at 1,013 hPa

Flash point : 135.5 °F (57.5 °C) at 1,013.25 hPa

Method: DIN 51755

Lower explosion limit : 2.2 %(V)

Upper explosion limit : 16 %(V)



# N,N-Dimethylformamide

## 494488-1L

Version 1.4 Issuing date 12/07/2016

Revision Date 11/03/2017

Print Date 08/07/2019

Vapour pressure : 3.77 hPa

at 20 °C(68 °F)

23 hPa

at 50 °C(122 °F)

Density : 0.94 g/cm3 at 20 °C

Water solubility : Note: completely miscible

Solubility in other solvents : Note: Soluble in most organic solvents

Partition coefficient: n-

octanol/water

: log Pow: -0.85 at 25 °C

Ignition temperature : 410 °C

Decomposition temperature : Note: No decomposition if used as directed.

Viscosity, dynamic : 0.86 mPa.s at 20 °C

Molecular weight : 73.10 g/mol

#### 10. STABILITY AND REACTIVITY

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Hazardous polymerization does not occur.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials to

avoid

: Strong oxidizing agents Reducing agents

Halogenated compounds

Alkali matala

Alkali metals Nitrates

Oxidizing solids Oxidizing liquids 7/12



# N,N-Dimethylformamide

## 494488-1L

Version 1.4 Issuing date 12/07/2016 Revision Date 11/03/2017 Print Date 08/07/2019

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be

produced such as: Carbon monoxide Carbon dioxide (CO2) nitrogen oxides (NOx)

Dimethylamine

### 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50: 3,010 mg/kg

Species: Rat

Method: OECD Test Guideline 401

Acute inhalation toxicity : Note: Classification based on Annex VI of regulation

1272/2008/EC.

Acute dermal toxicity : LD50: > 3,160 mg/kg

Species: Rat Method: OECD

Skin irritation : Species: Rabbit

Result: slight irritation

Sensitisation : Species: Mouse

Result: Does not cause skin sensitisation. Method: OECD Test Guideline 406

## 12. ECOLOGICAL INFORMATION

#### **Toxicity**

Toxicity to fish : LC50: 7,100 mg/l

Exposure time: 96 h

Species: Lepomis macrochirus (Bluegill sunfish)

Toxicity to daphnia and other : EC50: 13,100 mg/l

aquatic invertebrates

Exposure time: 48 h



# N,N-Dimethylformamide

## 494488-1L

Version 1.4 Issuing date 12/07/2016 Revision Date 11/03/2017 Print Date 08/07/2019

> Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

Toxicity to algae : LC50: > 1,000 mg/l

Exposure time: 96 h

Species: Desmodesmus subspicatus (green algae)

Method: DIN 38412

Toxicity to bacteria : EC50: 12,300 - 17,500 mg/l

Exposure time: 5 min

Species: Vibrio fischerii (Bacteria)

Persistence and degradability

Biodegradability : aerobic

Result: Readily biodegradable.

Value: 100 %

Method: OECD 301 E

Bioaccumulative potential

Bioaccumulation : Species: Cyprinus carpio (Carp)

Exposure time: 28 d

Bioconcentration factor (BCF): 0.3 - 1.2 Method: OECD Test Guideline 305C Note: Bioaccumulation is unlikely.

#### 13. DISPOSAL CONSIDERATIONS

Public Cleansing Law

WDPCL Waste Disposal and : Specially Controlled Industrial Waste

Disposal methods : In accordance with local and national regulations.

## 14. TRANSPORT INFORMATION

ADR

UN/ID No. : UN 2265



# N,N-Dimethylformamide

## 494488-1L

Version 1.4 Issuing date 12/07/2016 Revision Date 11/03/2017 Print Date 08/07/2019

Description of the goods : N.N-DIMETHYLFORMAMIDE

Class : 3 Classification Code Packing group : 111 : F1 Hazard Identification Number : 30 Labels 3

**IATA** 

UN/ID No. : UN 2265

Description of the goods : N,N-Dimethylformamide

Class : 3 : 111 Packing group Labels : 3 Packing instruction (cargo : 366

aircraft)

Packing instruction : 355

(passenger aircraft)

: Y344 Packing instruction

(passenger aircraft)

**IMDG** 

UN/ID No. : UN 2265

Description of the goods : N,N-DIMETHYLFORMAMIDE

: 3 Class Packing group : 111 : 3 Labels EmS Number 1 : F-E EmS Number 2 : S-D

Marine pollutant : no

#### 15. REGULATORY INFORMATION

National regulatory information

Chemical Substance : Listed

Control Law Type II Monitoring Chemical Substance.

DES (JP) Reference: (2)-680

Substances Subject to be

**Notified Names** 

Threshold Concentration: 0.1 % wt 299

JP MSDSD

Substances Subject to be : Article 18

Indicated Names

JPISHL LR

Threshold limits: 0.3 % wt 14.13

Vessel Safety Law

JP VSL

: Flammable liquids (Article 2 and 3 of rules on shipping and

storage of dangerous goods and its Attached Table 1)



# N,N-Dimethylformamide

### 494488-1L

Version 1.4 Issuing date 12/07/2016 Revision Date 11/03/2017

Print Date 08/07/2019

Aviation Law

JP AVL

: Flammable liquid (Article 194 of The Enforcement Rules of

Aviation Law and its Attached Table 1)

Fire Service Law : Group 4 Flammable liquids

> Type 2 petroleums Hazardous rank III Water soluble Keep away from fire

Poisonous and Deleterious

Substances Control Law

: Not relevant

#### Other international regulations

**Notification status** 

US. Toxic Substances

Control Act

: On TSCA Inventory

(Notification and Assessment) Act

Australia. Industrial Chemical : On the inventory, or in compliance with the inventory

Canada. Canadian

**Environmental Protection Act** 

(CEPA). Domestic Substances List (DSL) : All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List

: On the inventory, or in compliance with the inventory

Korea. Existing Chemicals

Inventory (KECI)

: On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control

Act

: On the inventory, or in compliance with the inventory

China. Inventory of Existing

Chemical Substances

: On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New

: On the inventory, or in compliance with the inventory

Zealand



# N,N-Dimethylformamide

## 494488-1L

Version 1.4 Issuing date 12/07/2016 Revision Date 11/03/2017 Print Date 08/07/2019

#### **16. OTHER INFORMATION**

	HMIS III	NFPA
Health hazard	: 2*	2
Flammability	: 2	2
Physical Hazard	: 0	
Instability	:	0

#### \* - Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 09/13/2017

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group