

71388-250G

Version 1.2 Issuing date Revision Date 11/29/2017 Print Date 08/07/2019

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information

Trade name : Sodium chlorite

Number : 00000020568

Recommended use of the chemical and restrictions on

use

Laboratory chemicals

Manufacturer or supplier's

details

Honeywell Specialty Chemicals Seelze

GmbH

Wunstorfer Straße 40 Seelze, 30926

For further information, : 1-800-368-0050 please contact: +1-231-726-3171

(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or +1-703-

527-3887

In Japan: +(81)-345209637 (24 hours/day, 7 days/week)

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification of the : Oxidizing solids, Category 2 substance or mixture : Acute toxicity, Category 3, O

Acute toxicity, Category 3, Oral
Acute toxicity, Category 2, Dermal
Skin corrosion, Category 1B
Serious eye damage, Category 1

Specific target organ toxicity - repeated exposure, Category 2,

Blood

Acute aquatic toxicity, Category 1

GHS Label elements, including precautionary statements

Symbol(s) :













71388-250G

Version 1.2 Issuing date Revision Date 11/29/2017 Print Date 08/07/2019

Signal word : Danger

Hazard statements : May intensify fire; oxidizer.

Toxic if swallowed. Fatal in contact with skin.

Causes severe skin burns and eye damage.

May cause damage to organs (/\$/* ORGAN REPEAT/\$/)

through prolonged or repeated exposure.

Very toxic to aquatic life.

Precautionary statements : Prevention:

Keep away from heat.

Keep/Store away from clothing/ combustible materials. Take any precaution to avoid mixing with combustibles. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Do not get in eyes, on skin, or on clothing. Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face

protection.

Response:

IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

position conflortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Remove/Take off immediately all contaminated clothing.

Wash contaminated clothing before reuse.

In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam for extinction. Collect spillage.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS



Sodium chlorite

71388-250G

Version 1.2 Issuing date Revision Date 11/29/2017 Print Date 08/07/2019

Formula : CINaO2

Chemical nature : Substance

Chemical nameCAS-No.ConcentrationSodium chlorite7758-19-298.00 %Sodium chlorite

Sodium carbonate 497-19-8 2.00 %

Sodium carbonate

Note: Deleterious Substances - Cabinet Order

4. FIRST AID MEASURES

General advice : First aider needs to protect himself.

Move out of dangerous area.

Take off all contaminated clothing immediately.

Inhalation : If breathed in, move person into fresh air.

Call a physician immediately.

Skin contact : After contact with skin, wash immediately with plenty of water.

Remove contaminated clothing immediately

Call a physician immediately.

Eye contact : Rinse thoroughly with plenty of water, also under the eyelids.

Protect unharmed eye.
Call a physician immediately.

Ingestion : When swallowed, allow water to be drunk.

Do NOT induce vomiting. Call a physician immediately.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet

Dry powder Foam

Carbon dioxide (CO2)

Specific hazards during

firefighting

: Strong oxidizer. Contact with other material may cause fire.

Keep away from reducing agents.

Fire may cause evolution of:

Chlorine (Cl2) Chlorates

Gaseous hydrogen chloride (HCI).



Sodium chlorite

71388-250G

Version 1.2 Issuing date Revision Date 11/29/2017 Print Date 08/07/2019

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus and protective suit.

No unprotected exposed skin areas.

Further information : Use water spray to cool unopened containers.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.

Wear personal protective equipment. Unprotected persons

must be kept away. Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

Avoid dust formation.

Environmental precautions : Prevent further leakage or spillage if safe to do so.

Discharge into the environment must be avoided.

Do not let product enter drains.

Methods and materials for containment and cleaning up

: Use mechanical handling equipment.

Protect from contamination.

Take any precaution to avoid mixing with combustibles. Do not pick up with the help of saw-dust or other combustible

substances.

Sweep up and shovel into suitable containers for disposal.

Dispose of in accordance with local regulations.

7. HANDLING AND STORAGE

Handling

Precautions for safe handling : Wear personal protective equipment.

Use only in well-ventilated areas.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

Advice on protection against

fire and explosion

Keep away from combustible material.

Keep away from easily oxidizable materials. Keep away from heat and sources of ignition.

Storage

Conditions for safe storage,

including any incompatibilities

: Store in original container.

Keep containers tightly closed in a dry, cool and well-

ventilated place.



71388-250G

Version 1.2 Issuing date Revision Date 11/29/2017 Print Date 08/07/2019

Keep away from heat and sources of ignition.

Do not store on wooden pallets.

Advice on common storage : Do not store with combustible materials.

Do not store near acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Appropriate engineering controls

Local exhaust

Individual protection measures, such as personal protective equipment

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection : Wear nitrile rubber gloves to avoid contact with the skin.

Gloves must be inspected prior to use.

Replace when worn.

Eye protection : Safety goggles

Skin and body protection : Complete suit protecting against chemicals

Hygiene measures : Keep working clothes separately.

Remove all contaminated clothing under the shower.

Keep contaminated clothing under water.

Do not eat, drink or smoke when using this product.

Wash thoroughly after handling.

Protective measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Colour : white



Sodium chlorite

71388-250G

Version 1.2 Issuing date Revision Date 11/29/2017 Print Date 08/07/2019

рΗ : 10 - 11 at 100.00 g/l, 20 °C

Decomposition temperature : >= 180 °C

: Note: no data available Boiling point/boiling range

Flash point : Note: Not applicable

Flammability : no data available

Lower explosion limit : 7 %(V)

Upper explosion limit : Note: no data available

Vapour pressure

Note: no data available

: Note: no data available Density

Water solubility : ca. 572 g/l at 20 °C

at 7.0 pH

Method: OECD Test Guideline 105

Partition coefficient: n-

: log Pow: < -2.7

Method: OECD Test Guideline 107 octanol/water

Ignition temperature : Note: Not applicable

Decomposition temperature : Note: No decomposition if used as directed.

Molecular weight : 90.44 g/mol



Sodium chlorite

71388-250G

Version 1.2 Issuing date Revision Date 11/29/2017 Print Date 08/07/2019

10. STABILITY AND REACTIVITY

Chemical stability : May intensify fire; oxidizer.

Possibility of hazardous : Decomposes on heating.

reactions

Potential for exothermic hazard

Conditions to avoid : Protect from contamination.

Protect from heat/overheating.

Avoid dust formation.

Incompatible materials to

avoid

: Combustible material

Organic materials

Acids

Strong reducing agents Sulphur compounds

Ammonia

Reactions with metals in powder form.

Hazardous decomposition

products

: Oxygen

Chlorine dioxide

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50: 284 mg/kg

Species: Rat

Method: OECD Test Guideline 401

Acute inhalation toxicity : Note: no data available

Acute dermal toxicity : LD50: 134 mg/kg

Species: Rabbit

Skin irritation : Species: Rabbit

Result: Causes burns.

Eye irritation : Species: Rabbit

Result: Risk of serious damage to eyes.

Sensitisation : Species: Guinea pig

Result: Not a skin sensitizer.

7/11



Sodium chlorite

71388-250G

Version 1.2 Issuing date Revision Date 11/29/2017 Print Date 08/07/2019

Method: OECD Test Guideline 406

Repeated dose toxicity

Sodium chlorite : Species: Rat

Application Route: Oral Exposure time: (13 Weeks)

NOAEL (No observed adverse effect level): 10 mg/kg

Target Organs: Blood

Genotoxicity in vitro : Note: Not classified due to data which are conclusive although

insufficient for classification.

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish : LC50: 105 mg/l

Exposure time: 96 h

Species: Cyprinodon variegatus (sheepshead minnow)

Toxicity to daphnia and other

aquatic invertebrates

: LC50: 0.65 mg/l Exposure time: 96 h

Species: Mysidopsis bahia (opossum shrimp)

Toxicity to algae : EC50: 1 mg/l

Exposure time: 96 h

Species: Pseudokirchneriella subcapitata (green algae)

Toxicity to bacteria : EC50: 100 mg/l

Exposure time: 3 h Species: activated sludge

Method: OECD Test Guideline 209

Persistence and degradability

Biodegradability : Note: The methods for determining biodegradability are not

applicable to inorganic substances.

Other adverse effects



Sodium chlorite

71388-250G

Print Date 08/07/2019 Version 1.2 Issuing date Revision Date 11/29/2017

information

Additional ecological : Should not be released into the environment.

13. DISPOSAL CONSIDERATIONS

Disposal methods : In accordance with local and national regulations.

14. TRANSPORT INFORMATION

ADR

UN/ID No. : UN 1496

UN/ID No. : UN 1496
Description of the goods : SODIUM CHLORITE
Class : 5.1
Packing group : II
Classification Code : O2 Hazard Identification Number : 50 Labels : 5.1

IATA

UN/ID No. : UN 1496 Description of the goods : Sodium chlorite

: 5.1 Class Packing group : 11 Labels : 5.1 Packing instruction (cargo : 562

aircraft)

: 558 Packing instruction

(passenger aircraft)

: Y544 Packing instruction

(passenger aircraft)

IMDG

: UN 1496 UN/ID No.

Description of the goods : SODIUM CHLORITE

Class Packing group : 11 Labels : 5.1 : F-H EmS Number 1 EmS Number 2 : S-Q

Marine pollutant : yes



71388-250G

Version 1.2 Issuing date Revision Date 11/29/2017 Print Date 08/07/2019

15. REGULATORY INFORMATION

National regulatory information

Vessel Safety Law

JP VSL

: Oxidizing substances and organic peroxides (Article 2 and 3 of

rules on shipping and storage of dangerous goods and its

Attached Table 1)

Aviation Law

JP AVL

: Oxidizing substances and organic peroxides (Article 194 of The

Enforcement Rules of Aviation Law and its Attached Table 1)

Fire Service Law : Group 1 Oxidizing solids

Chlorites

Hazardous rank I

Be careful with fire and shock

Poisonous and Deleterious

Substances Control Law

: Deleterious substance not for pharmaceutical use

1.2

Sodium chlorite 7758-19-2

Other international regulations

Notification status

US. Toxic Substances

Control Act

: On TSCA Inventory

(Notification and Assessment) Act

Australia. Industrial Chemical : On the inventory, or in compliance with the inventory

Canada, Canadian

Environmental Protection Act

(CEPA). Domestic Substances List (DSL) : All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals

Inventory (KECI)

: On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous

and Nuclear Waste Control

: On the inventory, or in compliance with the inventory

10/11



71388-250G

Version 1.2 Issuing date Revision Date 11/29/2017 Print Date 08/07/2019

Act

China. Inventory of Existing

Chemical Substances

: On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New

Zealand

: On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 3*	1
Flammability	: 0	0
Physical Hazard	: 2	
Instability	:	1
Special hazard.	:	OX

* - Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 05/26/2017

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group