

Nickel(II) nitrate hexahydrate

72253-1KG

Version 1.3 Issuing date 12/19/2016 07/02/2019

Revision Date 01/10/2024

Print Date 01/11/2024

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information

Trade name : Nickel(II) nitrate hexahydrate

Number : 000000021156

Recommended use of the

chemical and restrictions on

use

Laboratory chemicals

Manufacturer or supplier's

details

Honeywell Specialty Chemicals Seelze

GmbH

Wunstorfer Straße 40 Seelze, 30926 Germany

For further information,

please contact:

1-800-368-0050 +1-231-726-3171

(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or +1-703-

527-3887

In Japan: 0800-300-5842

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Classification of the : Oxidizing solids, Category 2 substance or mixture : Acute toxicity, Category 4, Oral

Acute toxicity, Category 4, Inhalation

Skin irritation, Category 2 Serious eye damage, Category 1

Respiratory sensitisation, Category 1 Skin sensitisation, Category 1 Germ cell mutagenicity, Category 2 Carcinogenicity, Category 1A Reproductive toxicity, Category 1B

Specific target organ toxicity - repeated exposure, Category 1

Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1

Honeywell

Nickel(II) nitrate hexahydrate

72253-1KG

Version 1.3

Issuing date 12/19/2016 07/02/2019

Revision Date 01/10/2024

Print Date 01/11/2024

GHS Label elements, including precautionary statements

Symbol(s)











Signal word : Danger

Hazard statements : May intensify fire; oxidizer.

Harmful if swallowed or if inhaled.

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye damage.

May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

Suspected of causing genetic defects.

May cause cancer.

May damage fertility or the unborn child.

Causes damage to organs through prolonged or repeated

exposure.

Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention**:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and

understood.

Keep away from heat.

Keep/ Store away from clothing/ combustible materials. Take any precaution to avoid mixing with combustibles. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the

workplace.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face

protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/

physician if you feel unwell. Rinse mouth.

IF ON SKIN: Wash with plenty of soap and water.



Nickel(II) nitrate hexahydrate

72253-1KG

Version 1.3 Issuing date 12/19/2016 07/02/2019

Revision Date 01/10/2024

Print Date 01/11/2024

IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER/ doctor.

If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant

foam for extinction. Collect spillage.

Storage:

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : NiN2O6 · 6H2O

Chemical nature : Substance

Chemical nameCAS-No.ConcentrationNickel (II) nitrate-6-hydrate13478-00-7100.00 %

Nickel (II) nitrate-6-hydrate

4. FIRST AID MEASURES

General advice : Remove from exposure, lie down.

First aider needs to protect himself.

Immediately take off contaminated clothing and rinse body

with plenty of water.

Show this safety data sheet to the doctor in attendance.

Inhalation : If inhaled, remove to fresh air.

Call a physician immediately.

Call a doctor immediately if allergic signs, particularly in the

respiratory tract, are observed.



Nickel(II) nitrate hexahydrate

72253-1KG

Version 1.3 Issuing date 12/19/2016 07/02/2019

Revision Date 01/10/2024

Print Date 01/11/2024

Skin contact

: After contact with skin, wash immediately with plenty of water.

Call a physician if irritation develops or persists.

Eye contact

: Protect unharmed eye.

Rinse thoroughly with plenty of water, also under the eyelids.

Call a physician immediately.

Ingestion

: A person suspected to have swallowed the substance who is conscious should be given water to drink. Take to a doctor

immediately together with this card

Notes to physician

: If dermatitis develops, avoid contact with the product in the future (contact avoidance can be achieved by the use of

proper protective clothing and equipment).

5. FIREFIGHTING MEASURES

Suitable extinguishing media

: Water spray

Foam

Carbon dioxide (CO2)

Dry powder

Specific hazards during

firefighting

: May intensify fire; oxidizer.

Cool closed containers exposed to fire with water spray.

Do not allow run-off from fire fighting to enter drains or water

courses.

In case of fire hazardous decomposition products may be

produced such as: Nitrogen oxides (NOx) Toxic metal oxide fumes

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus and protective suit.

No unprotected exposed skin areas.

Further information : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

The product itself does not burn.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : Evacuate personnel to safe areas.

Honeywell

Nickel(II) nitrate hexahydrate

72253-1KG

Version 1.3 Issuing date 12/19/2016

07/02/2019

Revision Date 01/10/2024

Print Date 01/11/2024

protective equipment and emergency procedures

Wear personal protective equipment. Unprotected persons

must be kept away.

Ensure adequate ventilation.

Avoid dust formation. Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

Environmental precautions

: Do not let product enter drains.

Clean contaminated floors and objects thoroughly while

observing environmental regulations.

Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up

: Use mechanical handling equipment.

Sweep up and shovel into suitable containers for disposal. Do not pick up with the help of saw-dust or other combustible

substances.

Dispose of in accordance with local regulations.

7. HANDLING AND STORAGE

Handling

Precautions for safe handling : Wear personal protective equipment.

Refill and handle product only in closed system. Never return unused material to storage receptacle.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

Advice on protection against

fire and explosion

: Keep away from combustible material.

Storage

Conditions for safe storage,

including any incompatibilities

: Store in original container.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep away from combustible material.

Keep locked up or in an area accessible only to qualified or

authorised persons.

Further information on

: Product is hygroscopic.

storage conditions

Advice on common storage

: Do not store with combustible materials.



Nickel(II) nitrate hexahydrate

72253-1KG

Version 1.3 Issuing date 12/19/2016

Revision Date 01/10/2024

Print Date 01/11/2024

07/02/2019

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS- No.	Value	Control parameters	Update	Basis
Nickel (II) nitrate-6- hydrate Nickel (II) nitrate-6- hydrate	13478- 00-7	TL : Threshold limits	0.1 mg/m3	04 2009	ISHL:Industrial Safety and Health Law OEL
Further information	: Expres	sed as : as Ni			

Appropriate engineering controls

Use product only in closed system. Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment (PPE)

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Hand protection : Impervious gloves

Gloves must be inspected prior to use.

Replace when worn.

Eye protection : Safety goggles

Skin and body protection : Wear suitable protective equipment.

Protective suit Lab coat

Hygiene measures : Separate rooms are required for washing, showering and

changing clothes.

Keep working clothes separately.

Contaminated work clothing should not be allowed out of the

workplace.

Regular cleaning of equipment, work area and clothing.

Protective measures : Ensure that eyewash stations and safety showers are close to



Nickel(II) nitrate hexahydrate

72253-1KG

Version 1.3 Issuing date 12/19/2016

Revision Date 01/10/2024

Print Date 01/11/2024

07/02/2019

the workstation location.

Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment. Avoid exposure - obtain special instructions before use.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Colour : blue green

Odour : odourless

Odour Threshold : Note: No data available

pH : ca. 4.0 at , 20 °C

Note: (as aqueous solution)

Melting point/range : 56.7 °C

Boiling point/boiling range : Note: Decomposes on heating.

Flash point : Note: Not applicable

Evaporation rate : Note: No data available

Flammability : The product is not flammable.

Lower explosion limit : Note: Not applicable

Upper explosion limit : Note: Not applicable

Vapour pressure : Note: No data available

Vapour density : Note: No data available

Honeywell

Nickel(II) nitrate hexahydrate

72253-1KG

Version 1.3 Issuing date 12/19/2016

Revision Date 01/10/2024

Print Date 01/11/2024

Density : ca. 2.050 g/cm3 at 20 °C

Water solubility : 2,385 g/l at 0 °C

07/02/2019

Partition coefficient: n-

octanol/water

: Note: No data available

Ignition temperature : Note: Not applicable

Auto-ignition temperature : Note: not auto-flammable

Decomposition temperature : ca. 105 - 110 °C

Note: Decomposition temperature, with dehydration, Nitrogen

oxides (NOx)

Viscosity, dynamic : Note: Not applicable

Viscosity, kinematic : Note: No data available

Oxidizing properties : The substance or mixture is classified as oxidizing with the

category 2.

Molecular weight : 290.79 g/mol

Bulk density : Note: No data available

10. STABILITY AND REACTIVITY

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: May intensify fire; oxidizer.

Conditions to avoid : Protect from heat/overheating.

Protect from contamination.

Avoid contact with combustible material (paper, wool, oil).

Incompatible materials to

avoid

: Reducing agents Combustible material Powdered metals

Hazardous decomposition : Nitrogen oxides (NOx)



Nickel(II) nitrate hexahydrate

72253-1KG

Version 1.3 Issuing date 12/19/2016 07/02/2019

Revision Date 01/10/2024

Print Date 01/11/2024

products

Toxic metal compounds

11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact, Ingestion

exposure

Acute oral toxicity

minalation, Lye contact, Skin contact, ingestion

: Note: Classification based on Annex VI of regulation 1272/2008/EC.

Acute inhalation toxicity : Note: Classification based on Annex VI of regulation

1272/2008/EC.

Acute dermal toxicity : Note: Not classified due to data which are conclusive although

insufficient for classification.

Skin corrosion/irritation : Note: Classification based on Annex VI of regulation

1272/2008/EC.

Serious eye damage/eye

irritation

: Note: Classification based on Annex VI of regulation

1272/2008/EC.

Respiratory or skin

sensitisation

: Note: Classification based on Annex VI of regulation

1272/2008/EC.

Carcinogenicity : Note: Classification based on Annex VI of regulation

1272/2008/EC.

Reproductive toxicity : Note: Classification based on Annex VI of regulation

1272/2008/EC.

Reproductive toxicity : Note: Classification based on Annex VI of regulation

1272/2008/EC.

Aspiration toxicity : Not applicable



Nickel(II) nitrate hexahydrate

72253-1KG

Version 1.3

Issuing date 12/19/2016 07/02/2019

Revision Date 01/10/2024

Print Date 01/11/2024

Further information

: Note: Chronic Health Hazard Inhalation of aerosol or skin contact may cause sensitisation of susceptible persons. Danger of serious damage to health by prolonged exposure. May cause cancer. May cause genetic defects. May damage fertility or the unborn child.

12. ECOLOGICAL INFORMATION

Aquatic and ecotoxicity

Toxicity to fish : Note: Classification based on Annex VI of regulation

1272/2008/EC.

Toxicity to algae : Note: Classification based on Annex VI of regulation

1272/2008/EC.

aquatic invertebrates (Chronic toxicity)

Toxicity to daphnia and other : Note: Classification based on Annex VI of regulation

1272/2008/EC.

Persistence and degradability

Other adverse effects

Additional ecological

information

: Do not flush into surface water or sanitary sewer system. The methods for determining biodegradability are not

applicable to inorganic substances.

Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

13. DISPOSAL CONSIDERATIONS

Disposal methods : In accordance with local and national regulations.

14. TRANSPORT INFORMATION

Honeywell

Nickel(II) nitrate hexahydrate

72253-1KG

Version 1.3 Issuing date 12/19/2016 07/02/2019

Revision Date 01/10/2024

Print Date 01/11/2024

ADR

UN/ID No. : UN 2725

Description of the goods : NICKEL NITRATE

: 5.1 Packing group
Classification Code : 111 : 02 Hazard Identification Number : 50 : 5.1 Labels

IATA

UN/ID No. : UN 2725 Description of the goods : Nickel nitrate

Class : 5.1 Packing group : 111 Labels : 5.1 Packing instruction (cargo : 563

aircraft)

Packing instruction : 559

(passenger aircraft)

Packing instruction : Y546

(passenger aircraft)

IMDG

: UN 2725 UN/ID No.

Description of the goods : NICKEL NITRATE

Class : 5.1 Packing group : 111 Labels : 5.1 : F-A EmS Number 1 EmS Number 2 : S-Q

Marine pollutant : yes

15. REGULATORY INFORMATION

National regulatory information

Vessel Safety Law : Oxidizing substances and organic peroxides (Article 2 and 3 of JP VSL

rules on shipping and storage of dangerous goods and its

Attached Table 1)

: Oxidizing substances and organic peroxides (Article 194 of The **Aviation Law**

Honeywell

Nickel(II) nitrate hexahydrate

72253-1KG

Version 1.3 Issuing date 12/19/2016 07/02/2019

Revision Date 01/10/2024

Print Date 01/11/2024

JP AVL

Enforcement Rules of Aviation Law and its Attached Table 1)

Substances Subject to be

Indicated Names

JPISHL LR

: Article 18

Threshold limits: 0.1 % wt 24.2

Substances Subject to be

Indicated Names

JPISHL LR

: Article 18

Threshold limits: 0.1 % wt 418

Substances Subject to be

Notified Names JP MSDSD

Threshold Concentration: 0.1 % wt 418

Fire Service Law : Group 1 Oxidizing solids

Nitrates

Hazardous rank II

Be careful with fire and shock

Nickel (II) nitrate-6-hydrate 13478-00-7

Japan. ISHL Class 2 : 23.3 **Designated Chemical** Listed

Substances (ISHL

Enforcement Order, Table 3,

as amended)

Japan. ISHL Specified : 23.3 Chemical Substances (ISHL Listed

Ordinance No. 39, Article 38-

Nickel (II) nitrate-6-hydrate 13478-00-7

Japan. ISHL Hazardous : 418 Substances Labeling Listed

Requirements (ISHL Art. 57, Enforcement Order Art. 18, Enforcement Rule Art. 30 &

31), as amended

: Listed Japan. ISHL Dangerous

Substances, Oxidizing (ISHL Enforcement Order, Table 1-

Nickel (II) nitrate-6-hydrate 13478-00-7

Nickel (II) nitrate-6-hydrate 13478-00-7

Japan. SDS and Risk : 418 Assessment Requirements Listed

(ISHL Art. 57-2 and 57-3, Nickel (II) nitrate-6-hydrate 13478-00-7

Honeywell

Nickel(II) nitrate hexahydrate

72253-1KG

Version 1.3 Issuing date 12/19/2016 07/02/2019

Revision Date 01/10/2024

Print Date 01/11/2024

Enforcement Order Art. 18-2, Enforcement Rule Art. 34-2 and 34-2-2), as amended

Poisonous and Deleterious Substances Control Law

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof : Not relevant

: Class I Designated Chemical Substances

Nickel (II) nitrate-6-hydrate 13478-00-7

Other international regulations

Notification status

US. Toxic Substances

Control Act

: On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC),

as amended

: On the inventory, or in compliance with the inventory

Canada. Canadian

Environmental Protection Act

(CEPA). Domestic Substances List (DSL) : All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea. Existing Chemicals

Inventory (KECI)

: On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) : On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances

(IECSC)

: On the inventory, or in compliance with the inventory

New Zealand. Inventory of

Chemicals (NZIoC), as published by ERMA New

Zealand

: On the inventory, or in compliance with the inventory



Nickel(II) nitrate hexahydrate

72253-1KG

Version 1.3 Issuing date 12/19/2016 07/02/2019

Revision Date 01/10/2024

Print Date 01/11/2024

Inventory (TCSI)

Taiwan Chemical Substance : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

HMIS III	NFPA
: 2*	2
: 0	0
: 1	
:	0
:	OX
	: 2* : 0 : 1

* - Chronic health hazard

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 08/21/2018 Revision Date: 01/10/2024

Version 1.3

Issuing date 12/19/2016

07/02/2019

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group