Honeywell Fluka^{**}

Cesium chloride

90033-25G

Version 1.2 Issuing date 12/18/2016

Revision Date 10/02/2017

Print Date 08/06/2019

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information

Trade name	:	Cesium chloride
Number	:	00000020256
Recommended use of the chemical and restrictions on use	:	Laboratory chemicals
Manufacturer or supplier's details	:	Honeywell Specialty Chemicals Seelze GmbH Wunstorfer Straße 40 Seelze, 30926
For further information, please contact:	:	1-800-368-0050 +1-231-726-3171 (Monday-Friday, 9:00am-5:00pm)
In case of emergency call	:	Medical: 1-800-498-5701 or +1-303-389-1414 Transportation (CHEMTREC): 1-800-424-9300 or +1-703- 527-3887
		In Japan: +(81)-345209637
	:	(24 hours/day, 7 days/week)
AZARDS IDENTIFICATION	:	
AZARDS IDENTIFICATION Classification of the subst	: anc	(24 hours/day, 7 days/week)
	: anc	(24 hours/day, 7 days/week)
Classification of the subst Classification of the substance or mixture		(24 hours/day, 7 days/week) e or mixture
Classification of the subst Classification of the substance or mixture		(24 hours/day, 7 days/week) e or mixture : Reproductive toxicity, Category 2
Classification of the subst Classification of the substance or mixture GHS Label elements, inclu		(24 hours/day, 7 days/week) e or mixture : Reproductive toxicity, Category 2
Classification of the subst Classification of the substance or mixture GHS Label elements, inclu Symbol(s)		(24 hours/day, 7 days/week) e or mixture : Reproductive toxicity, Category 2 g precautionary statements :

Precautionary statements : Prevention:

Obtain special instructions before use.

1/10



Cesium chloride

90033-25G

sion 1.2 I	ssuing date 12/*	18/2016	Revision Date 10/02/2017	Print Date 08/06/2
		und	not handle until all safety precautic erstood. personal protective equipment as	
			ponse: xposed or concerned: Get medica	l advice/ attention.
			rage: e locked up.	
			posal: bose of contents/ container to an a ht.	pproved waste disposa
Other hazards result in classi			eated or prolonged exposure may piratory system.	irritate eyes, skin and
	/INFORMATION			
Formula		: CsC		
Chemical natu	ire	: Subs	stance	
Chemical nam	e		CAS-No.	Concentration
Cesium chlori Cesium chlori	de		7647-17-8	100.00 %
Note: none				
RST AID MEA	SURES			
General advic	e		aider needs to protect himself. e out of dangerous area.	
Inhalation			aled, remove to fresh air. a physician if irritation develops or	persists.
Skin contact			contact with skin, wash immediate a physician if irritation develops or	
Eye contact		т. а	e case of contact with eyes, rinse i	mmodiately with plenty
Eye contact			ater and seek medical advice.	minediately with plenty

Honeywell Fluka

Cesium chloride

90033-25G

Version 1.2 Issuing date 12/18/2016

Revision Date 10/02/2017

Print Date 08/06/2019

REFIGHTING MEASURES		
Suitable extinguishing media :		Water spray Foam Carbon dioxide (CO2) Dry powder
Specific hazards during firefighting	:	Fire may cause evolution of: Chlorine compounds
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus and protective suit.
Further information	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
CCIDENTAL RELEASE MEAS	UF	RES
Personal precautions, protective equipment and emergency procedures	:	Evacuate personnel to safe areas. Wear personal protective equipment. Unprotected persons must be kept away. Ensure adequate ventilation. Avoid dust formation.
Environmental precautions	:	Should not be released into the environment.
Methods and materials for containment and cleaning up	:	Use mechanical handling equipment. Sweep up and shovel into suitable containers for disposal.
ANDLING AND STORAGE		
Handling		
Precautions for safe handling	:	Wear personal protective equipment. Use only in well-ventilated areas.
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Storage		
Conditions for safe storage, including any incompatibilities	:	Store in original container. Keep containers tightly closed in a dry, cool and well- ventilated place.



Cesium chloride

90033-25G

Version 1.2 Issuing date 12/18/2016

Revision Date 10/02/2017

Print Date 08/06/2019

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Appropriate engineering controls

Use with local exhaust ventilation.

Individual protection measures, such as personal protective equipment

Respiratory protection	: In case of insufficient ventilation wear suitable respiratory equipment.
Hand protection	: Latex gloves Gloves must be inspected prior to use. Replace when worn.
Eye protection	: Tightly fitting safety goggles
Skin and body protection	: Protective suit
Hygiene measures	: Take off all contaminated clothing immediately. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday. When using do not eat or drink.
Protective measures	 Ensure that eyewash stations and safety showers are close to the workstation location. Legal requirements are to be considered in regard of the selection, use and care of personal protective equipment. Do not breathe dust.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: powder
Colour	: colourless
Odour	: odourless
рН	: ca. 9.0 at , 20 °C
Melting point/range	: 642 °C Method: OECD Test Guideline 102



Cesium chloride

90033-25G

ersion 1.2 Issuing date 12/	18/2016	Revision Date 10/02/2017	Print Date 08/06/20
Boiling point/boiling range	: Note	: no data available	
Flash point	: Note	: Not applicable	
Flammability	: The	product is not flammable.	
Lower explosion limit	: Note	: Not applicable	
Upper explosion limit	: Note	: Not applicable	
Vapour pressure	: Note	: no data available	
Density	: ca. 3	.98 g/cm3 at 20 °C	
Water solubility	: 1,00	0 g/l at 20 °C	
Partition coefficient: n- octanol/water	: Note	: no data available	
Ignition temperature	: Note	: Not applicable	
Decomposition temperature	: Note	No decomposition if used as dire	cted.
Molecular weight	: 168.3	36 g/mol	
Bulk density	: ca. 1	,600 kg/m3	
STABILITY AND REACTIVITY	Y		
Chemical stability	: Stabl	e under recommended storage co	nditions.
Possibility of hazardous	: Haza	rdous polymerization does not occ 5/10	cur.



Cesium chloride

90033-25G

ersion 1.2 Issuing date 12	/18/2016	Revision Date 10/02/2017	Print Date 08/06/20
reactions Conditions to avoid	: Prote	ct from moisture.	
Incompatible materials to avoid		g oxidizing agents g acids	
Hazardous decomposition products		nay cause evolution of: ine compounds	
TOXICOLOGICAL INFORM	TION		
Acute oral toxicity		: 2,600 mg/kg es: Rat	
Acute inhalation toxicity	: Note:	no data available	
Acute dermal toxicity	Speci Metho	: > 2,000 mg/kg es: Rat od: OECD Test Guideline 402 substance: REACH dossier "read-	-across"
Skin irritation		lt: No skin irritation od: OECD Test Guideline 439	
Eye irritation	Resu	es: Chicken eye It: slight irritation od: OECD Test Guideline 438	
Sensitisation	Resul Test s	es: Mouse lt: non-sensitizing substance: REACH dossier "read- od: OECD Test Guideline 429	-across"
Genotoxicity in vitro	Metal Resu	ype: Salmonella typhimurium polic activation: with and without r lt: negative pd: OECD Test Guideline 471	netabolic activation
Genotoxicity in vivo	Speci	Method: Micronucleus test ies: Mouse, male and female cation Route: Intraperitoneal injec	tion

SAFETY DA	TA SHEET			Honeywell Fluka [~]
Cesium chl	oride			
90033-25G				
Version 1.2	Issuing date 12/18	8/2016	Revision Date 10/02/2017	Print Date 08/06/2019
			od: OECD Test Guideline 474 It: negative	
Teratogenic	ity	Note:	es: Rat od: OECD Test Guideline 414 Conclusive and supporting clas er - ECHA disseminated data)	ssification (Ref: REACH
12. ECOLOGICA	L INFORMATION			
Toxicity				
Toxicity to fi	sh	Expos Speci Test s	test : > 100 mg/l sure time: 96 h es: Danio rerio (zebra fish) substance: REACH dossier "rea od: OECD Test Guideline 203	ad-across"
Toxicity to d aquatic inve	aphnia and other intebrates	Expos Speci	test : 37.4 mg/l sure time: 48 h es: Daphnia magna (Water flea od: OECD Test Guideline 202	a)
Toxicity to a	lgae	Expos Speci Test s	th rate : > 100 mg/l sure time: 72 h es: scenedesmus subspicatus substance: REACH dossier "rea od: OECD Test Guideline 201	ad-across"
Persistence	and degradability			
Biodegradat	bility		The methods for determining b able to inorganic substances.	iodegradability are not
Ecotoxicolo	ogy Assessment		7/10	

Honeywell Fluka SAFETY DATA SHEET **Cesium chloride** 90033-25G Version 1.2 Revision Date 10/02/2017 Print Date 08/06/2019 Issuing date 12/18/2016 Results of PBT assessment Not applicable **13. DISPOSAL CONSIDERATIONS** Disposal methods : In accordance with local and national regulations. **14. TRANSPORT INFORMATION** ADR Not dangerous goods ΙΑΤΑ Not dangerous goods IMDG Not dangerous goods RID Not dangerous goods **15. REGULATORY INFORMATION** National regulatory information Fire Service Law : Not relevant Poisonous and Deleterious : Not relevant Substances Control Law Other international regulations Notification status US. Toxic Substances : On TSCA Inventory Control Act Australia. Industrial Chemical : On the inventory, or in compliance with the inventory (Notification and Assessment) Act Canada. Canadian : All components of this product are on the Canadian DSL Environmental Protection Act 8/10

Honeywell Fluka[™]

Cesium chloride

90033-25G

ersion 1.2	Issuing date 12	/18/2016	Revision Date 10/02/2017	Print Date 08/06/2
(CEPA). D Substance	omestic s List (DSL)			
Japan. Kas	shin-Hou Law List	: On the	e inventory, or in compliance w	vith the inventory
Korea. Exi Inventory (sting Chemicals KECI)	: On the	e inventory, or in compliance w	vith the inventory
Substance	s. The Toxic s and Hazardous ar Waste Control	: On the	inventory, or in compliance w	<i>v</i> ith the inventory
	entory of Existing Substances	: On the	e inventory, or in compliance w	vith the inventory
Chemicals	nd. Inventory of (NZIoC), as by ERMA New	: On the	e inventory, or in compliance w	<i>v</i> ith the inventory
OTHER INF	ORMATION			
		HMIS III	NFPA	
Health haz	ard	: 1*	1	
Flammabil		: 0	0	
Physical H	azard	: 0		
Instability		:	0	
Hazard rat use of indi	viduals trained in t		MIS® III, NFPA): This informa r system.	tion is intended solely for t
Further in	formation			

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.



Cesium chloride

90033-25G

Version 1.2 Issuing date 12/18/2016

6 Revision Date 10/02/2017

Print Date 08/06/2019

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 05/26/2017

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group