

Activator 0.25M ETT

SR721-1

Version 3.1

Issuing date 12/15/2010

Revision Date 01/26/2023

Print Date 05/30/2023

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**Product information**

Trade name : Activator 0.25M ETT

Number : 000000011308

Recommended use of the chemical and restrictions on use : Pharmaceutical, Laboratory Use

Manufacturer or supplier's details : Honeywell Specialty Chemicals Seelze GmbH
Wunstorfer Straße 40
Seelze, 30926
Germany

For further information, please contact: : 1-800-368-0050
+1-231-726-3171
(Monday-Friday, 9:00am-5:00pm)

In case of emergency call : **Medical: 1-800-498-5701 or +1-303-389-1414**
Transportation (CHEMTREC): 1-800-424-9300 or +1-703-527-3887
In Japan: +(81)-345209637

2. HAZARDS IDENTIFICATION**Classification of the substance or mixture**

Classification of the substance or mixture : Flammable liquids, Category 2
Acute toxicity, Category 4, Oral
Acute toxicity, Category 4, Inhalation
Eye irritation, Category 2A
Specific target organ toxicity - single exposure, Category 1,
Central nervous system

GHS Label elements, including precautionary statements

Symbol(s)

:



Activator 0.25M ETT

SR721-1

Version 3.1

Issuing date 12/15/2010

Revision Date 01/26/2023

Print Date 05/30/2023

Signal word : Danger

Hazard statements : Highly flammable liquid and vapour.
Harmful if swallowed or if inhaled.
Causes serious eye irritation.
Causes damage to organs.

Precautionary statements : **Prevention:**
Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ ventilating/ lighting equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
Wash skin thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed: Call a POISON CENTER or doctor/ physician.

If eye irritation persists: Get medical advice/ attention.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

SAFETY DATA SHEET

Honeywell

Burdick & Jackson™

Activator 0.25M ETT

SR721-1

Version 3.1

Issuing date 12/15/2010

Revision Date 01/26/2023

Print Date 05/30/2023

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Mixture

Chemical name	CAS-No.	Concentration
Acetonitrile	75-05-8	96.00 %
Acetonitrile		
5-Ethylthio-1H-Tetrazole	89797-68-2	4.00 %
5-Ethylthio-1H-Tetrazole		

4. FIRST AID MEASURES

- Inhalation : Remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Use oxygen as required, provided a qualified operator is present.
Call a physician.
- Skin contact : Wash off immediately with plenty of water for at least 15 minutes.
Take off contaminated clothing and shoes immediately.
Wash contaminated clothing before re-use.
Call a physician.
- Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Call a physician.
- Ingestion : Call a physician.
Do not induce vomiting without medical advice.
Immediate medical attention is required.
Never give anything by mouth to an unconscious person.
- Notes to physician : Treat as cyanide poisoning.
Symptoms of poisoning may not appear for several hours.
Keep under medical supervision for at least 48 hours.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO2)

Activator 0.25M ETT

SR721-1

Version 3.1

Issuing date 12/15/2010

Revision Date 01/26/2023

Print Date 05/30/2023

	Dry chemical Alcohol-resistant foam Cool closed containers exposed to fire with water spray.
Unsuitable extinguishing media	: Do not use a solid water stream as it may scatter and spread fire.
Specific hazards during firefighting	: Flammable. Vapours may form explosive mixtures with air. Vapours are heavier than air and may spread along floors. Vapors may travel to areas away from work site before igniting/flashback to vapor source. In case of fire hazardous decomposition products may be produced such as: Hydrogen cyanide (hydrocyanic acid) Carbon dioxide (CO ₂), carbon monoxide (CO), oxides of nitrogen (NO _x), dense black smoke.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Wear personal protective equipment. Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Do not swallow. Avoid breathing vapours, mist or gas. Avoid contact with skin, eyes and clothing.
Environmental precautions	: Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Discharge into the environment must be avoided. Do not flush into surface water or sanitary sewer system. Do not allow run-off from fire fighting to enter drains or water courses.
Methods and materials for containment and cleaning up	: Ventilate the area. No sparking tools should be used. Use explosion-proof equipment. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Activator 0.25M ETT

SR721-1

Version 3.1

Issuing date 12/15/2010

Revision Date 01/26/2023

Print Date 05/30/2023

7. HANDLING AND STORAGE**Handling**

Precautions for safe handling : Wear personal protective equipment.
Use only in well-ventilated areas.
Keep container tightly closed.
Do not smoke.
Do not swallow.
Avoid breathing vapours, mist or gas.
Avoid contact with skin, eyes and clothing.

Advice on protection against fire and explosion : Keep away from fire, sparks and heated surfaces.
Take precautionary measures against static discharges.
Ensure all equipment is electrically grounded before beginning transfer operations.
Use explosion-proof equipment.
Keep product and empty container away from heat and sources of ignition.
No sparking tools should be used.
No smoking.

Storage

Conditions for safe storage, including any incompatibilities : Store in area designed for storage of flammable liquids.
Protect from physical damage.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Keep away from heat and sources of ignition.
Keep away from direct sunlight.
Store away from incompatible substances.
Container hazardous when empty.
Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Activator 0.25M ETT

SR721-1

Version 3.1

Issuing date 12/15/2010

Revision Date 01/26/2023

Print Date 05/30/2023

Appropriate engineering controls

Use with local exhaust ventilation.

Prevent vapour buildup by providing adequate ventilation during and after use.

Individual protection measures, such as personal protective equipment

- | | |
|--------------------------|---|
| Respiratory protection | : In case of insufficient ventilation, wear suitable respiratory equipment.
For rescue and maintenance work in storage tanks use self-contained breathing apparatus.
Use NIOSH approved respiratory protection. |
| Hand protection | : Solvent-resistant gloves
Gloves must be inspected prior to use.
Replace when worn. |
| Eye protection | : Do not wear contact lenses.
Wear as appropriate:
Safety glasses with side-shields
If splashes are likely to occur, wear:
Goggles or face shield, giving complete protection to eyes |
| Skin and body protection | : Wear as appropriate:
Solvent-resistant apron
Flame retardant antistatic protective clothing.
If splashes are likely to occur, wear:
Protective suit |
| Hygiene measures | : When using do not eat, drink or smoke.
Wash hands before breaks and immediately after handling the product.
Keep working clothes separately.
Remove and wash contaminated clothing before re-use.
Do not swallow.
Avoid breathing vapours, mist or gas.
Avoid contact with skin, eyes and clothing. |
| Protective measures | : Ensure that eyewash stations and safety showers are close to the workstation location. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

SAFETY DATA SHEET

Honeywell

Burdick & Jackson™

Activator 0.25M ETT

SR721-1

Version 3.1

Issuing date 12/15/2010

Revision Date 01/26/2023

Print Date 05/30/2023

Colour	: colourless
Odour	: sweet ether-like
Odour Threshold	: Note: No data available
pH	: 2.6
Freezing point	: -46 °C Note: The physical data is that of the main component.
Boiling point/boiling range	: 82 °C Note: The physical data is that of the main component.
Flash point	: < 45 °F (7 °C) Method: closed cup
Lower explosion limit	: 3 %(V) Note: The physical data is that of the main component.
Upper explosion limit	: 16 %(V) Note: The physical data is that of the main component.
Vapour pressure	: 97 hPa at 20 °C(68 °F) Note: The physical data is that of the main component.
Vapour density	: 1.42 Note: The physical data is that of the main component.
Density	: 0.795 g/cm ³ at 20 °C 0.790 g/cm ³ at 25 °C
Water solubility	: Note: completely soluble
Partition coefficient: n-octanol/water	: Note: No data available
Ignition temperature	: 524 °C

SAFETY DATA SHEET

Honeywell

Burdick & Jackson™

Activator 0.25M ETT

SR721-1

Version 3.1

Issuing date 12/15/2010

Revision Date 01/26/2023

Print Date 05/30/2023

Method: The physical data is that of the main component.

Decomposition temperature : Note: No decomposition if stored and applied as directed.

Viscosity, dynamic : Note: No data available

Viscosity, kinematic : Note: No data available

Bulk density : Note: No data available

10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Hazardous polymerisation does not occur.

Conditions to avoid : Heat, flames and sparks.
Keep away from direct sunlight.Incompatible materials to avoid : Acids
Bases
Oxidizing agents
Reducing agents
Sulfites
Perchlorates
May attack many plastics, rubbers and coatings.Oxidizing solids
Oxidizing liquidsHazardous decomposition products : In case of fire hazardous decomposition products may be produced such as:
Hydrogen cyanide (hydrocyanic acid)
Carbon dioxide (CO₂), carbon monoxide (CO), oxides of nitrogen (NO_x), dense black smoke.**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact, Ingestion

Acute oral toxicity

SAFETY DATA SHEET

Honeywell

Burdick & Jackson™

Activator 0.25M ETT

SR721-1

Version 3.1

Issuing date 12/15/2010

Revision Date 01/26/2023

Print Date 05/30/2023

Acetonitrile : LD50: 1,327 - 6,762 mg/kg
Species: Rat

LD50: 617 mg/kg
Species: Mouse, male and female
Method: OECD Test Guideline 401

Acute dermal toxicity
Acetonitrile : LD50: > 2,000 mg/kg
Species: Rabbit

Skin corrosion/irritation : Note: No data available

Serious eye damage/eye
irritation : Result: Irritating to eyes.

Respiratory or skin
sensitisation : Note: No data available

Repeated dose toxicity : Note: No data available

Germ cell mutagenicity : Note: No data available

Carcinogenicity : Species: not specified
Note: No data available

Reproductive toxicity : Species: not specified Note: No data available

Further information
Acetonitrile : STOT - single exposure:
The substance or mixture is classified as specific target organ
toxicant, single exposure, category 1.
May cause convulsions.
May cause neurotoxic effects.
Based on Human Evidence.

SAFETY DATA SHEET

Honeywell

Burdick & Jackson™

Activator 0.25M ETT

SR721-1

Version 3.1

Issuing date 12/15/2010

Revision Date 01/26/2023

Print Date 05/30/2023

12. ECOLOGICAL INFORMATION

Aquatic and ecotoxicity

Toxicity to fish : Note: No data available

Toxicity to daphnia and other aquatic invertebrates : Note: No data available

Toxicity to algae : Note: No data available

Persistence and degradability

Biodegradability : Note: No data available

13. DISPOSAL CONSIDERATIONS

WDPCCL Waste Disposal and Public Cleansing Law : Specially Controlled Industrial Waste

Disposal methods : In accordance with local and national regulations.

14. TRANSPORT INFORMATION

ADR

UN/ID No. : UN 1648

Description of the goods : ACETONITRILE SOLUTION

Class : 3

Packing group : II

Classification Code : F1

Hazard Identification Number : 33

Labels : 3

IATA

UN/ID No. : UN 1648

SAFETY DATA SHEET

Honeywell

Burdick & Jackson™

Activator 0.25M ETT

SR721-1

Version 3.1

Issuing date 12/15/2010

Revision Date 01/26/2023

Print Date 05/30/2023

Description of the goods : Acetonitrile solution
Class : 3
Packing group : II
Labels : 3
Packing instruction (cargo aircraft) : 364
Packing instruction (passenger aircraft) : 353
Packing instruction (passenger aircraft) : Y341

IMDG

UN/ID No. : UN 1648
Description of the goods : ACETONITRILE SOLUTION
Class : 3
Packing group : II
Labels : 3
EmS Number 1 : F-E
EmS Number 2 : S-D

Marine pollutant : no

15. REGULATORY INFORMATION**National regulatory information**

Chemical Substance : Listed
Control Law : Type II Monitoring Chemical Substance.
DES (JP) : Reference: (2)-1508
Component : Acetonitrile 75-05-8

Substances Subject to be :
Notified Names : Threshold Concentration: 1 % wt
JP MSDSD
Component : Acetonitrile 75-05-8

Act on Confirmation, etc. of : Class I Designated Chemical Substances
Release Amounts of : Reportable quantity 1 tons
Specific Chemical
Substances in the
Environment and Promotion
of Improvements to the
Management Thereof
PRTR CL1

Act on Confirmation, etc. of :

SAFETY DATA SHEET

Honeywell

Burdick & Jackson™

Activator 0.25M ETT

SR721-1

Version 3.1

Issuing date 12/15/2010

Revision Date 01/26/2023

Print Date 05/30/2023

Release Amounts of
Specific Chemical
Substances in the
Environment and Promotion
of Improvements to the
Management Thereof
PRTR CL1

Threshold Concentration: 1 % wt

Component

: Acetonitrile 75-05-8

Vessel Safety Law
JP VSL

: Flammable liquids (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law
JP AVL

: Flammable liquid (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Chemical Substance Control
Law

: Priority Assessment Chemical Substance
38
Listed
Acetonitrile 75-05-8

Fire Service Law

: Group 4 Flammable liquids
Type 1 petroleums
Hazardous rank II
Water soluble
Keep away from fire

Japan. ISHL Hazardous
Substances Subject to
Labeling Requirements
(ISHL Enforcement Order,
Article 18, Art. 30 & 31), as
amended

: Listed
Acetonitrile 75-05-8

Japan. SDS and Risk
Assessment Requirements
(ISHL Art. 57-2 and 57-3,
Enforcement Order Art. 18-2,
Enforcement Rule Art. 34-2
and 34-2-2), as amended
Poisonous and Deleterious
Substances Control Law

: Listed
Acetonitrile 75-05-8: Deleterious substance not for pharmaceutical use
32.3
Acetonitrile 75-05-8

SAFETY DATA SHEET

Honeywell

Burdick & Jackson™

Activator 0.25M ETT

SR721-1

Version 3.1

Issuing date 12/15/2010

Revision Date 01/26/2023

Print Date 05/30/2023

Act on Confirmation, etc. of
Release Amounts of Specific
Chemical Substances in the
Environment and Promotion
of Improvements to the
Management Thereof

: Class 1
13
Listed
Acetonitrile 75-05-8

Other international regulations

Notification status

US. Toxic Substances
Control Act

: Not On TSCA Inventory

Australia. Inventory of
Industrial Chemicals (AIIC),
as amended

: Not in compliance with the inventory

Canada. Canadian
Environmental Protection Act
(CEPA). Domestic
Substances List (DSL)

: This product contains the following components that are not
on the Canadian DSL nor NDSL.

Japan. Kashin-Hou Law List

: Not in compliance with the inventory

Korea. Existing Chemicals
Inventory (KECI)

: Not in compliance with the inventory

Philippines. Inventory of
Chemicals and Chemical
Substances (PICCS)

: Not in compliance with the inventory

China. Inventory of Existing
Chemical Substances
(IECSC)

: Not in compliance with the inventory

New Zealand. Inventory of
Chemicals (NZIoC), as
published by ERMA New
Zealand

: On the inventory, or in compliance with the inventory

Taiwan Chemical Substance
Inventory (TCSI)

: On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

Honeywell

Burdick & Jackson™

Activator 0.25M ETT

SR721-1

Version 3.1

Issuing date 12/15/2010

Revision Date 01/26/2023

Print Date 05/30/2023

16. OTHER INFORMATION

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 11/03/2017

Revision Date: 01/26/2023

Version 3.1

Issuing date 12/15/2010

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group